

## Drill bits

The range of C.K drill bits covers all standard applications, and are made from the highest quality materials.



## Masonry Drills

High quality nickel plated tungsten carbide tipped drills with negative chamfer and ground flutes for efficient swarf clearance. Cold roll formed giving uninterrupted grain structure for greater strength and durability. Suitable for use with hand or power drills (rotary and percussion). The C.K plastic magazine storage case makes a handy drill bit stand for the end user.

Masonry	4 – 8mm	10mm +
Soft masonry	1800	1000
Hard masonry	500	300

## Masonry Drills – Superior

Superior Quality. Heavy duty diamond-honed tungsten carbide tip. Negative ground section and milled flutes for unbeatable swarf clearance. Sand blasted finish. Multi-purpose for use on brick, stone, masonry, marble, etc. Suitable for rotary and rotary percussion drills.

Masonry	R.P.M	Masonry	R.P.M
Granite	800 – 1000	Brick	1000
Masonry	1000	Marble	500
Concrete	1000	Natural stone	500 – 800

C.K SDS bits are ideal for professional use and are made from top quality chrome nickel molybdenum steel. Each bit has a tungsten carbide tip for strength and durability, and the shank is compatible with all SDS+ chucks.



## 3140 SDS Masonry bits

Item Number	Ø	Working length*	Overall length
T3140 0511	5mm	50mm	110mm
T3140 0516	5mm	100mm	160mm
T3140 05511	5.5mm	50mm	110mm
T3140 05516	5.5mm	100mm	160mm
T3140 0611	6mm	50mm	110mm
T3140 0616	6mm	100mm	160mm
T3140 0621	6mm	150mm	210mm
T3140 0626	6mm	200mm	260mm
T3140 06511	6.5mm	50mm	110mm
T3140 06516	6.5mm	100mm	160mm
T3140 0711	7mm	50mm	110mm
T3140 0716	7mm	100mm	160mm
T3140 0811	8mm	50mm	110mm
T3140 0816	8mm	100mm	160mm
T3140 0821	8mm	150mm	210mm
T3140 0826	8mm	200mm	260mm
T3140 0845	8mm	400mm	450mm
T3140 1011	10mm	50mm	110mm
T3140 1016	10mm	100mm	160mm
T3140 1021	10mm	150mm	210mm
T3140 1026	10mm	200mm	260mm
T3140 1045	10mm	400mm	450mm
T3140 1126	11mm	200mm	260mm
T3140 1215	12mm	100mm	150mm
T3140 1221	12mm	150mm	210mm
T3140 1225	12mm	200mm	260mm
T3140 1245	12mm	400mm	450mm
T3140 1260	12mm	550mm	600mm
T3140 1325	13mm	200mm	260mm
T3140 1345	13mm	400mm	450mm
T3140 1425	14mm	200mm	260mm
T3140 1445	14mm	400mm	450mm
T3140 1525	15mm	200mm	260mm
T3140 1545	15mm	400mm	450mm
T3140 1625	16mm	200mm	260mm
T3140 1645	16mm	400mm	450mm
T3140 1660	16mm	550mm	600mm
T3140 1825	18mm	250mm	300mm
T3140 1845	18mm	400mm	450mm
T3140 2025	20mm	200mm	260mm

\*Working length. Continued on next page.



## 3140 SDS Masonry bits

Item Number	Ø	Working length*	Overall length
T3140 2225	22mm	200mm	260mm
T3140 2245	22mm	400mm	450mm
T3140 2425	24mm	200mm	260mm
T3140 2445	24mm	400mm	450mm
T3140 2525	25mm	200mm	260mm
T3140 2545	25mm	400mm	450mm
T3140 2625	26mm	200mm	260mm
T3140 2645	26mm	400mm	450mm

\*Working length.



## 3069 Masonry drill bits extra long galvanised

Item Number	Ø	Working length*	No.
T3069 05	5mm 3/16"	200mm	8
T3069 055	5.5mm 7/32"	200mm	10
T3069 06	6mm 15/64"	200mm	11
T3069 065	6.5mm 1/4"	200mm	12
T3069 07	7mm 9/32"	200mm	14
T3069 08	8mm 5/16"	200mm	16
T3069 09	9mm 11/32"	200mm	18
T3069 10	10mm 25/64"	200mm	21
T3069 12	12mm 15/32"	200mm	C
T3069 13	13mm 1/2"	200mm	24
T3069 14	14mm 9/16"	200mm	25
T3069 16	16mm 5/8"	200mm	26

Overall length 200mm/8". Galvanised finish.



## 3066 Masonry drill bits superior

Item Number	Ø	Working length*	No.
T3066 04	4mm 5/32"	75mm	6
T3066 05	5mm 3/16"	85mm	8
T3066 055	5.5mm 7/32"	85mm	10
T3066 06	6mm 15/64"	100mm	11
T3066 065	6.5mm 1/4"	100mm	12
T3066 07	7mm 9/32"	100mm	14
T3066 08	8mm 5/16"	120mm	16
T3066 09	9mm 11/32"	120mm	18
T3066 10	10mm 25/64"	120mm	21
T3066 12	12mm 15/32"	150mm	C
T3066 13	13mm 1/2"	150mm	24
T3066 14	14mm 9/16"	150mm	25
T3066 16	16mm 5/8"	150mm	26



## 3071 Masonry drill bits galvanised

Item Number	Ø	Working length*	No.
T3071M 04	4mm 5/32"	76mm	6
T3071M 05	5mm 3/16"	84mm	8
T3071M 055	5.5mm 7/32"	84mm	10
T3071M 06	6mm 5/64"	100mm	11
T3071M 065	6.5mm 1/4"	100mm	12
T3071M 07	7mm 9/32"	100mm	14
T3071M 08	8mm 5/16"	115mm	16
T3071M 09	9mm 11/32"	125mm	18
T3071M 095	9.5mm 3/8"	125mm	20
T3071M 11	11mm 7/16"	140mm	22
T3071M 13	13mm 1/2"	140mm	24
T3071M 14	14mm 9/16"	150mm	25
T3071M 16	16mm 5/8"	150mm	26
T3071M 19	19mm 3/4"	160mm	28
T3071M 22	22mm 7/8"	160mm	29
T3071M 25	25mm 1"	160mm	30

Standard length, galvanised finish.



## 3068 Masonry drill bits 5 piece set

Item Number	No.
T3068	5 piece set

Set of 5 drills in plastic magazine storage case and drill stand. Containing Drills No.3066, one each of sizes 4, 5.5, 6.5, 7 and 8mm. Display packed.



### 3099 HSS drill bits metric sizes – loose

Item Number	Ø
T3099 01	1mm
T3099 015	1.5mm
T3099 02	2mm
T3099 025	2.5mm
T3099 03	3mm
T3099 035	3.5mm
T3099 04	4mm
T3099 045	4.5mm
T3099 05	5mm
T3099 055	5.5mm
T3099 06	6mm
T3099 065	6.5mm
T3099 07	7mm
T3099 075	7.5mm
T3099 08	8mm
T3099 085	8.5mm
T3099 09	9mm
T3099 095	9.5mm
T3099 10	10mm
T3099 105	10.5mm
T3099 11	11mm
T3099 115	11.5mm
T3099 12	12mm
T3099 125	12.5mm
T3099 13	13mm

### 3180 HSS drill bits imperial sizes – display packed

Item Number	Ø	i
T3180 06	1/16"	display packed
T3180 07	5/64"	
T3180 09	3/32"	
T3180 10	7/64"	
T3180 12	1/8"	
T3180 14	9/64"	
T3180 15	5/32"	
T3180 17	11/64"	
T3180 18	3/16"	
T3180 21	7/32"	
T3180 25	1/4"	
T3180 28	9/32"	
T3180 31	5/16"	
T3180 37	3/8"	
T3180 43	7/16"	
T3180 50	1/2"	

### 3182 HSS drill bits metric sizes – display packed

Item Number	Ø	i
T3182 01	1mm	display packed
T3182 015	1.5mm	
T3182 02	2mm	
T3182 025	2.5mm	
T3182 03	3mm	
T3182 035	3.5mm	
T3182 04	4mm	
T3182 045	4.5mm	
T3182 05	5mm	
T3182 055	5.5mm	
T3182 06	6mm	
T3182 065	6.5mm	
T3182 07	7mm	
T3182 075	7.5mm	
T3182 08	8mm	
T3182 085	8.5mm	
T3182 09	9mm	
T3182 095	9.5mm	
T3182 10	10mm	
T3182 105	10.5mm	
T3182 11	11mm	
T3182 115	11.5mm	
T3182 12	12mm	
T3182 125	12.5mm	
T3182 13	13mm	



### 3058 HSS drill bits metric – 13 piece set

Item Number	i
T3058	13 piece HSS set

Set of 13 drills in a plastic magazine storage case and drill stand. Containing one each of sizes 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5mm.

### 3098 HSS drill bits – 7 piece set

Item Number	i
T3098A	7 piece HSS set

Set of 7 drills in a plastic magazine storage case and drill stand. Containing one each of sizes 1.5, 2, 3, 4, 5, 5.5, 6mm.



### 3291 HSS TiN coated set metric – 19 piece

Item Number	i
T3291	19 piece TiN twist set

19 piece set of fully ground HSS twist drills with titanium nitride coating for longer life. In plastic magazine storage case and drill stand. Containing one each of sizes 1-10mm in increments of 0.5mm.

### 3293 HSS TiN coated set metric – 6 piece

Item Number	i
T3293	6 piece TiN set

6 piece set of fully ground HSS twist drills with titanium nitride coating for longer life. In plastic magazine storage case and drill stand. Containing one each of sizes 2, 3, 4, 5, 6, 8mm.



### 3063 Universal drill bits metric – 5 piece set

Item Number	i
T3063	5 piece universal drill bit set

5 top quality drills tungsten carbide tipped for universal use in metal, stone, brick, granite, concrete, tiles, ceramics etc., either rotating or percussion use. In plastic magazine storage case and drill stand. Containing one of each of sizes 4, 5, 6, 8, 10mm.

All C.K wood bits are made from the highest quality materials to ensure that they are long-lasting, drill quickly and offer great performance.



### 3035 Wood drill bits metric sizes – loose

Item Number	Ø	Length	Tip
T3035 03	3mm	62mm	3mm
T3035 04	4mm	75mm	4mm
T3035 05	5mm	86mm	5mm
T3035 06	6mm	95mm	6mm
T3035 08	8mm	115mm	8mm
T3035 09	9mm	120mm	8mm
T3035 10	10mm	130mm	8mm
T3035 11	11mm	140mm	8mm
T3035 12	12mm	150mm	8mm
T3035 13	13mm	150mm	8mm
T3035 14	14mm	160mm	10mm
T3035 16	16mm	175mm	10mm
T3035 18	18mm	190mm	10mm

### Auger bits



### 3031 Auger bits – standard

Item Number	Ø	Length	Tip
T3031 06	6mm 1/4"	100mm	6mm
T3031 08	8mm 5/16"	100mm	6.375mm
T3031 10	10mm 3/8"	120mm	6.375mm
T3031 11	11mm 7/16"	120mm	6.375mm
T3031 13	13mm 1/2"	120mm	6.375mm
T3031 16	16mm 5/8"	130mm	6.375mm
T3031 19	19mm 3/4"	130mm	6.375mm
T3031 22	22mm 7/8"	140mm	10mm
T3031 25	25mm 1"	140mm	10mm
T3031 30	30mm 1 3/16"	140mm	10mm
T3031 32	32mm 1 1/4"	140mm	10mm

Professional quality. Bits are accurately machined from high carbon steel, gun finished for rust resistance, fully hardened and ground. Screw tip enables precision drill starts. Combination shank suitable for hand and power drills. \*Working length.



### 3033 Auger bits – short

Item Number	Ø	Working length
T3033 13	6mm 1/4"	50mm
T3033 16	8mm 5/16"	70mm
T3033 19	19mm 3/4"	80mm
T3033 22	22mm 7/8"	80mm
T3033 25	25mm 1"	80mm
T3033 32	32mm 1 1/4"	80mm

Shorter overall length. \*Working length.



### 3034 Auger bits – long

Item Number	Ø	Working length
T3034 10	10mm 3/8"	220mm
T3034 13	13mm 1/2"	220mm
T3034 16	16mm 5/8"	220mm
T3034 19	19mm 3/4"	220mm
T3034 22	22mm 7/8"	220mm
T3034 25	25mm 1"	220mm

Longer overall length. \*Working length.

C.K flat bits are made from carbon steel, and have a rust resistant finish for longevity.



### 2942 Flat bits

Item Number	Ø	Item Info
T2942 014	6mm 1/4"	flat bit
T2942 025	8mm 5/16"	
T2942 037	10mm 3/8"	
T2942 043	11mm 7/16"	
T2942 050	13mm 1/2"	
T2942 056	14mm 9/16"	
T2942 062	16mm 5/8"	
T2942 075	19mm 3/4"	
T2942 087	22mm 7/8"	
T2942 100	25mm 1"	
T2942 118	28mm 1 1/8"	
T2942 125	32mm 1 1/4"	
T2942 150	38mm 1 1/2"	

Wood boring bits suitable for use with power drills with 1/4" chuck capacity. Made from high carbon tool steel with a rust resistant finish.



### 2942 Flat bits in wallet

Item Number	Item Info
T2942P	6 flat bits in wallet

Set of 6 Flat Bits No. 2942. Containing 1 each of sizes 10, 13, 16, 19, 22, 25mm. Display packed.

## Jigsaw Blades

C.K jigsaw blades are perfect for trade use.

Available in packs of five blades, our range is suitable for cutting wood, metal and other materials.



### 865A Jigsaw blade HSS

Item Number	Item Info
T0865A	metal, fine, thin Ø 75mm 4mm

Packs of 5.



### 865B Jigsaw blade HCS

Item Number	Item Info
T0865B	wood, coarse 75mm 3mm



### 865C Jigsaw blade HCS

Item Number	Item Info
T0865C	wood, clean 75mm 2.5mm




### 865D Jigsaw blade HCS

Item Number	Item Info
T0865D	wood, very fast, coarse 75mm 4mm



### 865H Jigsaw blade HSS

Item Number	Item Info
T0865H	metal, fine, large Ø 50mm 2mm




### 865L Jigsaw blade HCS

Item Number	Item Info
T0865L	wood, fine, fast 75mm 4mm



### 865P Jigsaw blade HCS

Item Number	Item Info
T0865P	wood, clean, long blade 85mm 4mm



### 865R Jigsaw blade HCS

Item Number	Item Info
T0865R	laminated, clean down cut 75mm 2mm



### 865T Jigsaw blade HCS

Item Number	Item Info
T0865T	wood, fast, curves 75mm 4mm

## Holesaws

C.K Bi-metal holesaws are perfect for professional use.

Their vari-pitch teeth provide fast, clean cutting through steel, wood, plywood and other materials.





### 3201 Holesaw

Item Number	Ø
424001	16mm 5/8"
424002	19mm 3/4"
424003	20mm 25/32"
424005	22mm 7/8"
424006	25mm 1"
424007	29mm 1 1/8"
424008	32mm 1 1/4"
424010	38mm 1 1/2"
424011	40mm 1 9/16"
424012	41mm 1 5/8"
424013	43mm 1 11/16"
424014	44mm 1 3/4"
424015	48mm 1 7/8"
424016	51mm 2"
424017	54mm 2 1/8"
424018	57mm 2 1/4"
424019	60mm 2 3/8"
424020	64mm 2 1/2"
424021	65mm 2 9/16"
424022	67mm 2 5/8"
424024	70mm 2 3/4"
424025	73mm 2 7/8"
424026	76mm 3"
424027	79mm 3 1/8"
424028	83mm 3 1/4"
424030	89mm 3 1/2"
424031	92mm 3 5/8"
424032	95mm 3 3/4"
424033	102mm 4"
424034	105mm 4 1/4"
424035	111mm 4 3/8"
424036	114mm 4 1/2"

Professional quality HSS bi-metal holesaws with vari-pitch teeth for fast clean cutting. Ideal for cutting clean holes in steel, stainless steel, die cast metals, nail embedded wood, hardwood floors, plywood, plastics etc.



### 400002 Holesaw display

Item Number	i
400002	Complete holesaw display

Compact wall hanging display containing one each of all the C.K. holesaws (excluding 41, 43, & 68) plus Arbors 424037, 424038, 424039, 424040, 424047 and 424048, extension bar 424049, pilot drills 424041 and 424042.



Order Online  
[www.carlkammerling.com](http://www.carlkammerling.com)



### Arbors



### 424037/8 Arbor

Item Number	Ø	i
424037	8mm 5/16"	14-30mm
424038	11mm 7/16"	14-30mm

For use with C.K. holesaws up to 30mm. Supplied with replaceable 1/4" HSS pilot drill.



### 424039 Arbor quick release

Item Number	Ø	i
424039	11mm 7/16"	32-150mm

For use with C.K. holesaws from 32mm - 150mm. With fixing pins. Supplied with replaceable 1/4" HSS pilot drill.



### 424040 SDS Arbor

Item Number	Ø	i
424040	11mm 7/16"	32-150mm

For use with C.K. holesaws from 32mm - 150mm. With fixing pins and fixation plate. Supplied with replaceable 1/4" HSS pilot drill.



### 424041/2 Pilot drill bit

Item Number	Ø	i
424041	1	for use with 427037
424042	2	for use with 427038-40

Replacement pilot drills for use with Arbors, high speed steel.



### 424047 SDS Arbor

Item Number	i
424047	14-30mm

For use with C.K. holesaws up to 30mm. Supplied with replaceable 1/4" HSS Pilot Drill.



### 424048 SDS Arbor

Item Number	i
424048	32-152mm

For use with C.K. holesaws from 32mm - 150mm. With fixing pins. Supplied with replaceable 1/4" HSS Pilot Drill.



### 424049 Extension bar for 11mm shaft arbor

Item Number	Ø	Length
424049	11mm 7/16"	300mm

300mm Extension bar for all 11mm shaft arbors, complete with shaft locking grub screw.

## Holesaw Kits



**424045 Holesaw kit**  
9 piece electrician

Item Number	i
424045	9 piece

Nine piece set containing holesaws in sizes 16mm, 20mm, 25mm, 32mm, 38mm and 51mm, Arbors 424038 & 424039 plus 4mm hexagon key.



**424046 Holesaw kit**  
6 piece downlighter

Item Number	i
424046	6 piece

Six piece set containing holesaws in sizes 65mm, 70mm, 76mm and 83mm, Arbor 424039 plus 4mm hexagon key.



**3210 Holesaw kit**  
8 piece

Item Number	i
424043	8 piece

Eight piece set containing holesaws in sizes 16mm, 20mm, 25mm, 32mm, 38mm and 51mm, Arbors 424038 & 424039 plus 4mm hexagon key.



**3211 Holesaw kit**  
6 piece


Item Number	i
424044	6 piece

Six piece set containing holesaws in sizes 38mm, 40mm, 65mm, 68mm and Arbor 424039.

## Standard bits

All C.K screwdriver bits are made from the highest quality materials for long life performance.

The 1/4" hexagonal bits range is fully complemented with magnetic bit holders and drive systems.



**4550 Screwdriver bits**  
Slotted

DIN 3126, ISO 1173

Item Number	←→	⊕	×
T4550 05	25mm	0.5 x 3.0mm	1
T4550 0645		0.6 x 4.5mm	
T4550 0855		0.8 x 5.5mm	
T4550 1005		1.0 x 5.5mm	
T4550 1265		1.2 x 6.5mm	



**4552 Screwdriver bits**  
PZD/SDV®

DIN 3126, ISO 1173

Item Number	←→	⊕	×
T4552 1	25mm	PZD/SDV 1	1
T4552 2		PZD/SDV 2	
T4552 3		PZD/SDV 3	
T4552 4		PZD/SDV 4	

**4562 Screwdriver bits**  
PZD/SDV® – carded pair

DIN 3126, ISO 1173

Item Number	←→	⊕	×
T4562 1	25mm	PZD/SDV 1	2
T4562 2		PZD/SDV 2	
T4562 3		PZD/SDV 3	



**4556 Screwdriver bits long**  
PZD/SDV®

DIN 3126, ISO 1173

Item Number	←→	⊕	×
T4556 1	50mm	PZD/SDV 1	1
T4556 2		PZD/SDV 2	



**4555 Screwdriver bits long**  
Phillips

DIN 3126, ISO 1173

Item Number	←→	⊕	×
T4555 1	50mm	PH 1	1
T4555 2		PH 2	



### 4551 Screwdriver bits Phillips

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4551 1	25mm	PH 1	1
T4551 2		PH 2	
T4551 3		PH 3	

### 4561 Screwdriver bits Phillips

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4561 1	25mm	PH 1	2
T4561 2		PH 2	
T4561 3		PH 3	



### 4554 Screwdriver bits Hexagon

DIN 3126, ISO 1173

Item Number	Length	Width	Quantity
T4554 25	25mm	2.5mm	1
T4554 3		3mm	
T4554 4		4mm	
T4554 5		5mm	
T4554 6		6mm	
T4554 8		8mm	

Our customers are currently enjoying:

- Same day despatch
- 98% stock availability
- 24 hour online ordering



### 4557 Screwdriver bits For Torx® screws

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4557 05	25mm	TX 05	1
T4557 06		TX 06	
T4557 07		TX 07	
T4557 08		TX 08	
T4557 09		TX 09	
T4557 10		TX 10	
T4557 15		TX 15	
T4557 20		TX 20	
T4557 25		TX 25	
T4557 27		TX 27	
T4557 30		TX 30	
T4557 40		TX 40	



### 4545 Modulo terminal bits

Item Number	Length	Quantity	Description
T4545 1	1	1	terminal bits
T4545 2	2		terminal bits

60mm long bits with 1/4" hexagon E 6.3 direct drive. High grade chrome molybdenum alloy steel. For special terminal screws with slotted/recessed head for the ultimate screw fit.



### 4546 Modulo terminal bits

Item Number	Length	Quantity	Description
422001	1 & 2	1	terminal bits set

60mm long bits with 1/4" hexagon E 6.3 direct drive. High grade chrome molybdenum alloy steel. For special terminal screws with slotted/recessed head for the ultimate screw fit. 1 each size 1 & 2 bits.

### TiN Coated bits



### 4557 Screwdriver bits TiN Coated for Torx® screws

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4557TIN 10	25mm	T 10	1
T4557TIN 15		T 15	
T4557TIN 20		T 20	
T4557TIN 25		T 25	
T4557TIN 30		T 30	
T4557TIN 40		T 40	



### 4552 Screwdriver bits TiN Coated PZD/SDV®

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4552TIN 1	25mm	PZD/SDV 1	1
T4552TIN 2		PZD/SDV 2	
T4552TIN 3		PZD/SDV 3	

### 4562 Screwdriver bits TiN Coated PZD/SDV® – carded

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4562TIN 1	25mm	PZD/SDV 1	1
T4562TIN 2		PZD/SDV 2	
T4562TIN 3		PZD/SDV 3	

The Titanium Nitride coating on C.K TiN bits gives the benefit of increased life. The coating is very hard and therefore durable, making it a worthwhile investment for screwdriver bits that are in constant use.



### 4579 Screwdriver bits TiN Coated PZD/SDV® Slotted

DIN 3126, ISO 1173

Item Number	Length	Drive	Dimensions
T4579TIN 1	60mm	PZD/SDV 1	0.8 X 4.0mm
T4579TIN 2	60mm	PZD/SDV 2	1.0 X 7.0mm



### 4551 Screwdriver bits TiN Coated Phillips

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4551TIN 1	25mm	PH 1	1
T4551TIN 2		PH 2	
T4551TIN 3		PH 3	

### 4561 Screwdriver bits TiN Coated Phillips – carded

DIN 3126, ISO 1173

Item Number	Length	Drive	Quantity
T4561TIN 1	25mm	PH 1	1
T4561TIN 2		PH 2	
T4561TIN 3		PH 3	



### 4550 Screwdriver bits TiN Coated Slotted

DIN 3126, ISO 1173

Item Number	Length	Drive	Dimensions
T4550TIN 0635	25mm		0.6 x 3.5mm
T4550TIN 0855			0.8 x 5.5mm
T4550TIN 1055			1.0 x 5.5mm
T4550TIN 1265			1.2 x 6.5mm

Double TiN coated providing extra strength and durability.



### 4556 Screwdriver bits long TiN Coated PZD/SDV®

DIN 3126, ISO 1173

Item Number	Length	Tip	Quantity
T4556TIN 1	50mm	PZD/SDV 1	1
T4556TIN 2		PZD/SDV 2	

### Bit sets



### 4520 Screwdriver bits 33 piece bit set

Item Number	Quantity
T4520	33 piece

Set of 32 x 25mm bits on 4 clips (T4521, T4522, T4523, T4524) manufactured from high grade alloy steel with a rust resistant finish. With magnetic bit holder. Containing one of each of 4521 3, 4, 4.5, 5, 5.5, 6, 7, 8, 9, Slotted. T4522 PH 0, 1, 2, 3, PZD, 1, 2, 3. Phillips/PZD. T4523 TX 8, 10, 15, 20, 25, 27, 30, 40, T4524 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, Hexagon.



### 4521 Screwdriver bits Slotted bit clip

Item Number	Description	Quantity
T4521	bit clip slotted	8

High grade alloy steel bits with rust resistant finish on bit clips. 25mm in length. 8 bits per clip. Contents: 3, 4, 4.5, 5, 6, 7, 8, 9mm.



### 4522 Screwdriver bits PH/PZD® bit clip

Item Number	Description	Quantity
T4522	belt clip PH/PZD	8


Contents: PH 0, 1, 2, 3, PZD 0, 1, 2, 3.



### 4523 Screwdriver bits For Torx® screws bit clip

Item Number	Description	Quantity
T4523	bit clip TX	8

Contents: TX 8, 10, 15, 20, 25, 27, 30, 40.



### 4524 Screwdriver bits Hexagon bit clip

Item Number	Description	Quantity
T4524	bit clip hexagon	8

Contents: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm.



### 4527 Screwdriver bits For Torx® tamperproof screws bit clip


Item Number	Description	Quantity
T4527	bit clip torx	8

Eight high grade alloy steel bits with rust resistant finish. 25mm in length. Bits are held securely in a handy clip. Size: TX 8, 10, 15, 20, 25, 27, 30, 40.

### 4528 Screwdriver bits Hexagon tamperproof bit clip

Item Number	Description	Quantity
T4528	bit clip hexagon	8

Eight high grade alloy steel bits with rust resistant finish. 30mm in length. Bits are held securely in a handy clip. Size: 2, 2.5, 3, 4, 5, 5.5, 6, 7mm.



### 4525 Screwdriver bits long bit clip

Item Number	Description	Quantity
T4525	bit clip set	10

Set of 10 x 100mm bits on clip. Manufactured from high grade alloy steel with a rust resistant finish. Contents: Slotted 4.5, 7mm. PZD 1, 2, 3. TX 15, 20.



### 4583 Screwdriver bit set Assorted

Item Number	Description
T4583	6 in 1 bit box
T4583C	Carded

Containing one of each of 4550 0.8x5.5, 1.2x6.5mm Slotted. 4551 PH 1, PH 2 Phillips. 4552 PZD/SDV 1, 2, PZD/SDV. 4558B Bit Holder.



### 4569 Screwdriver bit set TiN coated

Item Number	Description
T4569TIN	6 in 1 bit box
T4569TINC	Carded

Containing one of each of 4552TIN PZD 1, 3, 4 x PZD 2 and 1 4558B Bit holder.

### Contact customer services on:

UK:  
Tel: 01758 704 704 Fax: 01758 704 705  
Email: sales@cki.uk.com

Republic of Ireland:  
Tel: 1-800818 660 Fax: 1-800818 659  
Email: dublin-sales@cki.uk.com

Rest of World:  
Tel: +49 (0) 202 89030 Fax: +49 (0) 202 890322  
Email: info@cki.de.com



### 3008 HSS step drill

Item Number	100mm	76mm	10mm
T3008			

This tool allows to centre, drill and deburr sheet metals in only one working process. HSS Steel. Self-starting tip, dual flute construction for less drilling pressure, faster drilling and longer tool life. Contoured shaft with 3 flat surfaces for safe fit in drill chucks. Suitable for non-ferrous metal, stainless steel and plastic materials. Material thickness: ST 37 steel 2mm, Stainless steel 1mm, Non-ferrous metals 5mm. For sizes 6.0, 9.0, 12.7, 15.2, 18.6, 20.4, 22.5, 25.4, 28.3, 30.5mm. \*Working length.

### 3009 HSS step drill

Item Number	80mm	58mm	6mm
T3009			

Same as T3008. For sizes 4, 5, 6, 8, 9, 10, 11, 12mm. \*Working length.

### 3010 HSS step drill

Item Number	69mm	47mm	6mm
T3010 1			

Same as T3008. For sizes 6, 8, 10, 12, 14, 16, 18, 20mm. \*Working length.

### 3010 HSS step drill

Item Number	100mm	76mm	10mm
T3010 2			

Same as T3008. For sizes 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm. \*Working length.

Order Online  
www.carlkammerling.com



## Bit Holders



### 4558/70 Direct drive E 6,3. – loose & carded

DIN 7427

Item Number	58mm	9.6mm	loose
T4558			
T4570			carded

For Power Drivers. For 1/4" Bits C 6,3. Stainless steel sleeve.



### 4558B/70B Direct drive E 6,3. – loose & carded

DIN 7427

Item Number	58mm	9.6mm	loose
T4558B			
T4570B			carded

For Power Drivers. For 1/4" Bits C 6,3. Brass sleeve.



### 4564SDS/DSC Direct male drive SDS-Plus® – loose & carded

DIN 7427

Item Number	74mm	loose
T4564SDS		
T4564DSC		carded

Stainless steel sleeve. For drivers: AEG, Bosch, Black & Decker, Baier, Hilti etc.



### 4564E/EC Direct drive E 6,3. – loose & carded

DIN 7427

Item Number	51mm	loose
T4564E		
T4564EC		carded

The Quick-Lock system allows easy handling, correct fit of bits and quick bit exchange. For drivers: Airetool, Aro, Atlas-Copco, Bosch, Black & Decker, Deprag, Makita, Metabo, Ingersoll, Skil etc.



### 4563/1/5 Magnetic bit holder Big – loose

Item Number	60mm	for round head screws
T4563		
T4565		for flat head screws as from Size 2
T4565 1		for smaller flat head screws Size 1

2 Magnets extra strong. A superb bit holder with outstanding features, that will save time and money. eg: A kitchen fitter on average fixes 1000 screws per week. The T4565 can save him 20 seconds per screw, that amounts to approx. 5 hours per week.

- Extra strong hold of bit and screw in horizontal and vertical positions. eg: overhead, particularly for fast and repetitive screw fixing when working in wood, concrete, steel and metal.

3 patterns for all standard screws with flat and round screw head incl. self tapping, anchor screws, extra long and extra heavy patterns.

- Adjustable; lockable chuck. Safe and flush fitting of bits in screw heads prevents slipping and tilting. TECHNICAL DETAILS:
- Direct drive E 6,3, for 1/4" hex bits C6.3.
- The in core magnet holds and magnetise the bit.
- The ring magnet at the tip provides additional magnetic power direct to the screw head.

- Display packed. (Supplied without screwdriver bit).
- T4563 – Round head screws (pan head, round washer head, wafer/lethe head etc). Black colour code.
- T4565 – Flat head (T20 and equivalent). Red colour code.
- T4565 1 – Smaller flat head (T05-T15 and equivalent). Silver colour code.



### 4515 Angle driver

Item Number	1/4" hex
T4515	

Essential tool for changing the drilling angle when using power tools, as well as allowing drilling in confined spaces. This product accepts 1/4" hex drive accessories.



### 3060 Damaged screw remover Clipstrip & counter box

Item Number	damaged screw clipstrip	6
T3060-CLIP		
T3060-CBOX	damaged screw counter box	12

Easily removes damaged screws. Contains all screw head types. Use with reversible drill. Pack contains 2 sizes for screws 6 – 10 & 12 – 14.



### 4519 Quick Change Chuck system

Item Number	quick change bit / drill set
T4519	

Ideal product for every drill user. Simple, quick change of drill accessories by click release. Swap from drill to screwdriver bit with our re-chucking, thus saving time and effort. 3/8" hex shaft. 27 piece set contains most popular sizes of bits and drills in handy storage box. Containing one each of Quick change Chuck - Bit holder - Bits - 4, 5, 6, 7mm Slotted. Drill/Bits - 2 x 3/32" (2.5mm) / PZD - PZD 1, 2, 3 - PH 1, 2, 3. 2 x 1/8" (3mm) / PZD. T10, 15, 20, 25, 30, 40. 1 x 5/32" (4mm)/PZD - Hex 3, 4, 5, 6mm.