



# Impact Tools

## Impact sockets

An extensive range of impact sockets and accessories specifically designed for power tools such as the range of Luna air tools

- Manufactured in chrome molybdenum in accordance with GGG-W-6608 to ensure the highest quality of materials
- Available in 1/4", 3/8", 1/2", 3/4" and 1" drive covering all the popular metric and AF sizes from 6mm to 95mm and 7/16" to 1 1/2" AF with regular, deep and thinwall options
- Full range of accessories including extension bars, adaptors and universal joints
- Available individually and in sets in DIN standard or ANSI standard to suit industrial and automotive applications
- Individually branded and size marked for quick identification
- 1/2", 3/4" and 1" ranges include a retaining pin and ring facility for added safety when used with power tools
- A full range of impact screwdriver bits and bit holders also available



## Impact Socket Sets

Set containing 8 metric 3/8" drive 6 point impact sockets. Supplied on a clip rail.



|                        |   |         |                                 |  |  |
|------------------------|---|---------|---------------------------------|--|--|
| 9381                   | 8 piece 3/8" drive regular metric impact socket set |         |                                 |  |  |
| Regular impact sockets | 3/8" drive  | 6 point | 8, 10, 11, 13, 14, 16, 17, 19mm |  |  |



| Stock No | PRICE  |
|----------|--------|
| 9381     | €31.60 |

Set containing 8 metric deep 3/8" drive 6 point impact sockets. Supplied on a clip rail.



|                     |  |         |                                 |  |  |
|---------------------|--|---------|---------------------------------|--|--|
| 9386                | 8 piece 3/8" drive deep metric impact socket set |         |                                 |  |  |
| Deep impact sockets | 3/8" drive                                       | 6 point | 8, 10, 11, 13, 14, 16, 17, 19mm |  |  |



| Stock No | PRICE  |
|----------|--------|
| 9386     | €42.00 |

24 piece set containing 1/4" drive regular and 3/8" drive regular and deep impact sockets plus an adaptor. Supplied in the Teng Tools TC tray with removable lid.



|                        |   |                        |                                     |  |  |
|------------------------|---|------------------------|-------------------------------------|--|--|
| TT9024                 | 24 piece 1/4" and 3/8" impact socket set (265x142x50mm, 1.07 kilos) |                        |                                     |  |  |
| Accessories            | 3/8" drive  | 3/8" Fx 1/4" M adaptor |                                     |  |  |
| Regular impact sockets | 1/4" drive  | 6 point                | 6, 7, 8, 10, 13mm                   |  |  |
| Regular impact sockets | 3/8" drive  | 6 point                | 8, 10, 11, 12, 13, 14, 16, 17, 19mm |  |  |
| Deep impact sockets    | 3/8" drive  | 6 point                | 8, 10, 11, 12, 13, 14, 16, 17, 19mm |  |  |



| Stock No | PRICE  |
|----------|--------|
| TT9024   | €83.30 |

Set containing 10 regular metric 1/2" drive 6 point impact sockets. Supplied on a clip rail. ANSI standard sockets suitable for automotive use.



|                        |  |         |  |  |  |
|------------------------|--|---------|--|--|--|
| 9121                   | 10 piece 1/2" drive regular metric impact socket set |         |  |  |  |
| Regular impact sockets | 1/2" drive   | 6 point | 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm |  |  |



| Stock No | PRICE  |
|----------|--------|
| 9121     | €54.00 |



## Impact Socket Sets

Set containing 10 deep metric 1/2" drive 6 point impact sockets. Supplied on a clip rail. ANSI standard sockets suitable for automotive use.

|                     |   |         |  |  |  |
|---------------------|---|---------|--|--|--|
| 9126                | 10 piece 1/2" drive deep metric impact socket set |         |  |  |  |
| Deep impact sockets | 1/2" drive  | 6 point | 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm |  |  |



| Stock No | PRICE  |
|----------|--------|
| 9126     | €75.00 |



Set containing 16 1/2" drive impact sockets, regular and deep. ANSI Standard suitable for automotive use. Supplied in the Teng Tools TC tray with removable lid.

|                        |  |         |                                  |  |  |
|------------------------|--|---------|----------------------------------|--|--|
| TT9116                 | 16 piece 1/2" drive regular and deep impact socket set (265x142x50mm, 2.2 kilos) |         |                                  |  |  |
| Regular impact sockets | 1/2" drive   | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |  |  |
| Deep impact sockets    | 1/2" drive   | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |  |  |



| Stock No | PRICE  |
|----------|--------|
| TT9116   | €99.50 |



1/2" drive impact socket accessory set containing extension bars, universal joint and adaptors. DIN standard (TT9207) for industrial use with retaining pins and rings. TT9207A ANSI standard. Supplied in the Teng Tools TC tray with removable lid.

|                 |  |  |                                       |  |  |
|-----------------|--|--|---------------------------------------|--|--|
| TT9207          | 7 piece 1/2" impact accessories set (265x142x50mm, 1.05 kilos) |  |                                       |  |  |
| Adaptors        |  |  | 3/8"Fx1/2"M, 1/2"Fx3/4"M, 1/2"Fx3/8"M |  |  |
| Extension Bars  | 1/2" drive   |  | 3", 5" and 10"                        |  |  |
| Universal Joint | 1/2" drive   |  |                                       |  |  |



| Stock No | PRICE  |
|----------|--------|
| TT9207   | €83.00 |
| TT9207A  | €81.00 |



Set containing 20 1/2" drive impact sockets, regular and deep plus locking pins and O-Rings. DIN Standard suitable for industrial use with retaining rings and pins. Supplied in the Teng Tools TC tray with removable lid.

|                        |  |         |                                  |  |  |
|------------------------|--|---------|----------------------------------|--|--|
| TT9120D                | 20 piece 1/2" drive regular and deep impact socket set (265x142x50mm, 3.2 kilos) |         |                                  |  |  |
| Regular impact sockets | 1/2" drive   | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |  |  |
| Deep impact sockets    | 1/2" drive   | 6 point | 13, 15, 16, 17, 18, 19, 22, 24mm |  |  |
| Locking pins           |  |         | 20x3.5mm, 25x3.5mm               |  |  |
| O-Rings                |  |         | 3x20mm, 3x24mm                   |  |  |



| Stock No | PRICE   |
|----------|---------|
| TT9120D  | €132.00 |



Set containing 12 1/2" drive TX impact sockets. For use with retaining pins and rings. Supplied in the Teng Tools TC tray with removable lid.

|                   |   |    |  |  |  |
|-------------------|---|----|--|--|--|
| TT9212TX          | 12 piece 1/2" drive TX bit impact socket set (265x142x50mm, 1.36 kilos) |    |  |  |  |
| TX impact sockets | 1/2" drive  | TX | 10, 15, 20, 25, 27, 30, 35, 40, 45, 50, 55, 60, 70 |  |  |



| Stock No | PRICE   |
|----------|---------|
| TT9212TX | €136.00 |





# Impact Tools

## Impact tools

15 piece 3/8" and 1/2" drive hex impact socket bit set. Supplied in the Teng Tools TC tray with removable lid.



|                        |  |
|------------------------|--|
| <b>TT9015HX</b>        | 15 piece hex impact socket bit set<br>(265x142x50mm, 1.49 kilos) |
| Hex impact socket bits | 3/8" drive 4, 5, 6, 7, 8, 10, 12mm                               |
| Hex impact socket bits | 1/2" drive 5, 6, 8, 10, 12, 14, 17mm                             |



| Stock No | PRICE   |
|----------|---------|
| TT9015HX | €145.50 |

3/4" drive impact socket set containing regular sockets 19 to 38mm, plus accessories including extension bar and retaining rings and pins.



|                        |  |
|------------------------|--|
| <b>TTD9416</b>         | 16 piece 3/4" drive impact socket set<br>(265x284x50mm, 5.6kilos)                |
| Accessories            | 3/4" drive 7" impact extension bar, 3 retaining rings, 3 retaining pins          |
| Regular impact sockets | 3/4" drive 6 point 19 (3/4"), 24, 27 (1 1/8"), 30 (1 3/8"), 32, 33, 34, 36, 38mm |



| Stock No | PRICE   |
|----------|---------|
| TTD9416  | €149.90 |

15 piece set containing 15 metric regular and deep impact sockets to DIN standard. Supplied in the Teng Tools TTX storage tray.

|                        |   |
|------------------------|---|
| <b>TTX9415</b>         | 15 piece 3/4" drive regular/deep impact socket set<br>(560x110x60mm, 9.0 kilos) |
| Regular impact sockets | 3/4" drive 6 point 19, 24, 27, 28, 30, 32, 34, 36mm                             |
| Deep impact sockets    | 3/4" drive 6 point 19 (3/4"), 24, 27 (1 1/8"), 30 (1 3/8"), 32, 33, 36mm        |



| Stock No | PRICE   |
|----------|---------|
| TTX9415  | €250.00 |

## Impact Driver sets

Reversible action. Driver designed with 1/2" square drive, but also equipped with a chuck in which bits with 5/16" hex can be fitted. Supplied complete with chuck and four screwdriver bits for slotted heads and Phillips heads. Supplied in metal case.



|              |  |
|--------------|--|
| <b>ID506</b> | 6 piece 1/2" drive industrial impact driver<br>(195x66x45mm, 0.95 kilos)       |
| Accessories  | 1/2" drive Industrial quality reversible impact driver, impact coupler adaptor |
| Impact bits  | 5/16" hex 8x36mm flat, 10x36mm flat, PH2, PH3                                  |



| Stock No | PRICE  |
|----------|--------|
| ID506    | €35.60 |




## Impact driver bits

Bit set for impact driver set ID506.

|             |   |
|-------------|---|
| ID506BIT    | 4 piece industrial impact driver bit set      |
| Impact bits | 5/16" hex 8x36mm flat, 10x36mm flat, PH2, PH3 |

| Stock No | PRICE |
|----------|-------|
| ID506BIT | €5.80 |



## Impact Driver Sets

Reversible action. Driver designed with 1/2" square drive, but also equipped with a chuck in which bits with 5/16" hex can be fitted. Supplied complete with 12 screwdriver bits for slotted heads, Phillips heads and internal hex screw heads. Supplied in a handy storage case.

|  |  |
|--|--|
| ID51515 piece 1/2" drive heavy duty impact driver set<br>(223x115x52mm, 1.0 kilos) |  |
| Accessories  | 1/2" drive Heavy duty reversible impact driver, impact coupler adaptor, 5/16" hex x 3/8" M adaptor                     |
| Impact bits  | 5/16" hex 6x36mm flat, 8x36mm flat, 10x36mm flat, 12x36mm flat, PH1, PH2, PH3, PH4, 4mm hex, 5mm hex, 6mm hex, 8mm hex |

| Stock No | PRICE  |
|----------|--------|
| ID515    | €33.50 |



Bit set for impact driver set ID515.

|             |  |
|-------------|--|
| ID515BIT    | 13 piece impact driver bit set   |
| Impact bits | 5/16" hex 6x36mm flat, 8x36mm flat, 10x36mm flat, 12x36mm flat, PH1, PH2, PH3, PH4, 4mm hex, 5mm hex, 6mm hex, 8mm hex, adaptor 5/16" hex:3/8" drive |

| Stock No | PRICE  |
|----------|--------|
| ID515BIT | €12.80 |



## Impact Bits


Impact bits 1/4" hex for use with 3/8" drive impact driver

| Stock No. | Drive    | Description         | Length mm | Price |
|-----------|----------|---------------------|-----------|-------|
| 210603    | 1/4" hex | 3mm hex impact bit  | 40.0      | €3.00 |
| 210604    | 1/4" hex | 4mm hex impact bit  | 40.0      | €3.00 |
| 210605    | 1/4" hex | 5mm hex impact bit  | 40.0      | €3.00 |
| 210605    | 1/4" hex | 5mm hex impact bit  | 40.0      | €3.00 |
| 210606    | 1/4" hex | 6mm hex impact bit  | 40.0      | €3.00 |
| 210608    | 1/4" hex | 8mm hex impact bit  | 40.0      | €3.00 |
| 240104    | 1/4" hex | 4mm flat impact bit | 40.0      | €3.00 |
| 240106    | 1/4" hex | 6mm flat impact bit | 40.0      | €3.00 |
| 240108    | 1/4" hex | 8mm flat impact bit | 40.0      | €3.00 |
| 230101    | 1/4" hex | PH1 impact bit      | 40.0      | €3.00 |
| 230102    | 1/4" hex | PH2 impact bit      | 40.0      | €3.00 |
| 220110    | 1/4" hex | TX10 impact bit     | 40.0      | €3.00 |
| 220115    | 1/4" hex | TX15 impact bit     | 40.0      | €3.00 |
| 220120    | 1/4" hex | TX20 impact bit     | 40.0      | €3.00 |
| 220125    | 1/4" hex | TX25 impact bit     | 40.0      | €3.00 |
| 220130    | 1/4" hex | TX30 impact bit     | 40.0      | €3.00 |
| 220140    | 1/4" hex | TX40 impact bit     | 40.0      | €3.00 |





# Impact Tools




Impact bits  $\frac{5}{16}$ " hex for use with  $\frac{1}{2}$ " drive impact drivers.



| Stock No. | Drive                | Description          | Length mm | Price |
|-----------|----------------------|----------------------|-----------|-------|
| 910504    | $\frac{5}{16}$ " hex | 4mm hex impact bit   | 36.0      | €4.40 |
| 910505    | $\frac{5}{16}$ " hex | 5mm hex impact bit   | 36.0      | €4.40 |
| 910506    | $\frac{5}{16}$ " hex | 6mm hex impact bit   | 36.0      | €4.40 |
| 910508    | $\frac{5}{16}$ " hex | 8mm hex impact bit   | 36.0      | €4.40 |
| 910510    | $\frac{5}{16}$ " hex | 10mm hex impact bit  | 36.0      | €4.40 |
| 920001    | $\frac{5}{16}$ " hex | PZ1 impact bit       | 36.0      | €4.40 |
| 920002    | $\frac{5}{16}$ " hex | PZ2 impact bit       | 36.0      | €4.40 |
| 920003    | $\frac{5}{16}$ " hex | PZ3 impact bit       | 36.0      | €4.40 |
| 940008    | $\frac{5}{16}$ " hex | 8mm flat impact bit  | 36.0      | €4.40 |
| 940006    | $\frac{5}{16}$ " hex | 6mm flat impact bit  | 36.0      | €4.40 |
| 940010    | $\frac{5}{16}$ " hex | 10mm flat impact bit | 36.0      | €4.40 |
| 940012    | $\frac{5}{16}$ " hex | 12mm flat impact bit | 36.0      | €4.40 |
| 930001    | $\frac{5}{16}$ " hex | PH1 impact bit       | 36.0      | €4.40 |
| 930002    | $\frac{5}{16}$ " hex | PH2 impact bit       | 36.0      | €4.40 |
| 930003    | $\frac{5}{16}$ " hex | PH3 impact bit       | 36.0      | €4.40 |
| 930004    | $\frac{5}{16}$ " hex | PH4 impact bit       | 36.0      | €4.40 |
| 970030    | $\frac{5}{16}$ " hex | TX30 impact bit      | 36.0      | €4.40 |
| 970040    | $\frac{5}{16}$ " hex | TX40 impact bit      | 36.0      | €4.40 |
| 970045    | $\frac{5}{16}$ " hex | TX45 impact bit      | 36.0      | €4.40 |
| 970050    | $\frac{5}{16}$ " hex | TX50 impact bit      | 36.0      | €4.40 |
| 970055    | $\frac{5}{16}$ " hex | TX55 impact bit      | 36.0      | €4.40 |



## Impact Accessories



| Stock No. | Drive           | Description  | Retaining ring | Retaining pin | Price  |
|-----------|-----------------|--|----------------|---------------|--------|
| 980035-C  | $\frac{3}{8}$ " | $\frac{3}{8}$ "F: $\frac{1}{4}$ "M adaptor               | -              | -             | €8.90  |
| 980036-C  | $\frac{3}{8}$ " | $\frac{3}{8}$ "F: $\frac{1}{2}$ "M adaptor. DIN standard | -              | -             | €10.90 |
| 980060-C  | $\frac{3}{8}$ " | Coupler adaptor for $\frac{1}{4}$ " hex                  | -              | -             | €7.10  |
| 980086    | $\frac{3}{8}$ " | $\frac{3}{8}$ "F: $\frac{5}{16}$ " Hex                   | -              | -             | €7.50  |

| Stock No. | Drive           | Description  | Retaining ring | Retaining pin | Price  |
|-----------|-----------------|--|----------------|---------------|--------|
| 980020-C  | $\frac{1}{2}$ " | 3" impact extension bar. DIN standard                                    | -              | -             | €13.00 |
| 920020-C  | $\frac{1}{2}$ " | 3" impact extension bar. DIN standard                                    | 0935202        | P90320        | €12.50 |
| 920020A-C | $\frac{1}{2}$ " | 3" impact extension bar. ANSI standard                                   | -              | -             | €11.90 |
| 920021-C  | $\frac{1}{2}$ " | 5" impact extension bar. DIN standard                                    | 0935202        | P90320        | €14.70 |
| 920021A-C | $\frac{1}{2}$ " | 5" impact extension bar. ANSI standard                                   | -              | -             | €13.90 |
| 920023-C  | $\frac{1}{2}$ " | 10" impact extension bar. DIN standard                                   | 0935202        | P90320        | €20.80 |
| 920023A-C | $\frac{1}{2}$ " | 10" impact extension bar. ANSI standard                                  | -              | -             | €19.90 |
| 920030-C  | $\frac{1}{2}$ " | impact universal joint. DIN standard                                     | -              | -             | €22.00 |
| 920030A-C | $\frac{1}{2}$ " | impact universal joint. ANSI standard                                    | -              | -             | €21.50 |
| 920036-C  | $\frac{1}{2}$ " | impact $\frac{1}{2}$ "F: $\frac{3}{8}$ "M adaptor. DIN standard          | 0935202        | P90320        | €11.60 |
| 920036A-C | $\frac{1}{2}$ " | impact $\frac{1}{2}$ "F: $\frac{3}{8}$ "M adaptor. ANSI standard         | -              | -             | €11.20 |
| 920037-C  | $\frac{1}{2}$ " | impact $\frac{1}{2}$ "F: $\frac{3}{4}$ "M adaptor. DIN standard          | 0935202        | P90320        | €18.40 |
| 920037A-C | $\frac{1}{2}$ " | impact $\frac{1}{2}$ "F: $\frac{3}{4}$ "M impact adaptor. ANSI standard. | -              | -             | €18.40 |
| 920060-C  | $\frac{1}{2}$ " | coupler adaptor for $\frac{3}{8}$ " hex                                  | -              | -             | €7.90  |

| Stock No. | Drive           | Description                                       | Retaining ring | Retaining pin | Price  |
|-----------|-----------------|---|----------------|---------------|--------|
| 940022-C  | $\frac{3}{4}$ " | 7" impact extension bar                           | 093538         | P90437        | €40.00 |
| 940030-C  | $\frac{3}{4}$ " | impact universal joint                            | 093538         | P90437        | €58.50 |
| 940037-C  | $\frac{3}{4}$ " | impact $\frac{3}{4}$ "F: $\frac{1}{2}$ "M adaptor | 093538         | P90437        | €36.30 |
| 940085-C  | $\frac{3}{4}$ " | impact $\frac{3}{4}$ "F: 1" M adaptor             | 093538         | P90437        | €23.30 |

| Stock No. | Drive | Description                          | Retaining ring | Retaining pin | Price  |
|-----------|-------|--------------------------------------|----------------|---------------|--------|
| 910086    | 1"    | impact 1"F: $\frac{3}{4}$ "M adaptor | 093546         | P90543        | €39.90 |





## Retaining Rings and Pins

Retaining rings and pins for use with DIN standard impact sockets and accessories.

| Stock No. | Description               | Price |
|-----------|---------------------------|-------|
| 092416    | Retaining ring 16.0x2.4mm | €2.00 |
| 092419    | Retaining ring 19.0x2.4mm | €2.00 |
| 0935202   | Retaining ring 20.0x3.5mm | €2.00 |
| 093525    | Retaining ring 25.0x3.5mm | €2.00 |
| 093528    | Retaining ring 28.0x3.5mm | €2.00 |
| 093530    | Retaining ring 30.0x3.5mm | €2.00 |
| 093532    | Retaining ring 32.0x3.5mm | €2.00 |
| 093534    | Retaining ring 34.0x3.5mm | €2.00 |
| 093538    | Retaining ring 38.0x3.5mm | €2.30 |
| 093546    | Retaining ring 46.0x3.5mm | €2.60 |
| 093548    | Retaining ring 48.0x3.5mm | €2.60 |
| 095775    | Retaining ring 75.0x5.7mm | €2.90 |
| P902515   | Retaining pin 2.5x15mm    | €2.00 |
| P902518   | Retaining pin 2.5x18mm    | €2.00 |
| P90320    | Retaining pin 3x20mm      | €2.00 |
| P90324    | Retaining pin 3x24mm      | €2.00 |
| P90328    | Retaining pin 3x28mm      | €2.00 |
| P90332    | Retaining pin 3x32mm      | €2.00 |
| P90437    | Retaining pin 3x37mm      | €2.00 |
| P90543    | Retaining pin 3x43mm      | €2.90 |
| P90675    | Retaining ring 6x75mm     | €3.20 |

TENGOOLS




## 1/4" Drive Impact Sockets

1/4" drive impact sockets regular 6 point metric. Chrome molybdenum.

| Stock No. | Size | L    | T    | D1   | D2   | Weight | Price |
|-----------|------|------|------|------|------|--------|-------|
| 960506-C  | 6    | 21.2 | 10.0 | 9.5  | 12.0 | 20     | €4.40 |
| 960507-C  | 7    | 21.2 | 11.0 | 11.0 | 12.0 | 20     | €4.40 |
| 960508-C  | 8    | 21.2 | 11.0 | 12.0 | 12.0 | 20     | €4.40 |
| 960510-C  | 10   | 21.2 | 12.5 | 14.0 | 14.0 | 30     | €4.40 |
| 960513-C  | 13   | 21.2 | 12.0 | 18.0 | 18.0 | 30     | €4.40 |

TENGOOLS




## 3/8" Drive Impact Sockets

3/8" drive impact sockets regular 6 point metric. Chrome molybdenum.

| Stock No. | Size | L    | T    | D1   | D2   | Weight | Price |
|-----------|------|------|------|------|------|--------|-------|
| 980508-C  | 8    | 30.0 | 9.5  | 12.6 | 19.0 | 33     | €5.10 |
| 980510-C  | 10   | 30.0 | 9.5  | 15.1 | 19.0 | 34     | €5.10 |
| 980511-C  | 11   | 30.0 | 10.0 | 17.0 | 19.0 | 37     | €5.10 |
| 980512-C  | 12   | 30.0 | 10.0 | 19.0 | 19.0 | 40     | €5.10 |
| 980513-C  | 13   | 30.0 | 10.0 | 19.0 | 19.0 | 41     | €5.10 |
| 980514-C  | 14   | 30.0 | 10.0 | 20.0 | 20.0 | 41     | €5.10 |
| 980516-C  | 16   | 30.0 | 11.0 | 24.0 | 24.0 | 64     | €5.10 |
| 980517-C  | 17   | 30.0 | 11.0 | 24.0 | 24.0 | 64     | €5.10 |
| 980519-C  | 19   | 30.0 | 11.0 | 26.0 | 26.0 | 72     | €5.10 |


TENGOOLS



3/8" drive impact sockets deep 6 point metric. Chrome molybdenum.

| Stock No. | Size | L    | T    | D1   | D2   | Weight | Price |
|-----------|------|------|------|------|------|--------|-------|
| 980608-C  | 8    | 65.0 | 12.8 | 12.6 | 19.0 | 95     | €7.00 |
| 980610-C  | 10   | 65.0 | 26.0 | 15.2 | 19.0 | 89     | €7.00 |
| 980611-C  | 11   | 65.0 | 27.0 | 17.0 | 19.0 | 87     | €7.00 |
| 980612-C  | 12   | 65.0 | 27.0 | 19.0 | 19.0 | 85     | €7.00 |
| 980613-C  | 13   | 65.0 | 27.0 | 19.0 | 19.0 | 80     | €7.00 |
| 980614-C  | 14   | 65.0 | 27.0 | 20.0 | 20.0 | 87     | €7.00 |
| 980616-C  | 16   | 65.0 | 27.0 | 24.0 | 24.0 | 144    | €7.70 |
| 980617-C  | 17   | 65.0 | 27.0 | 24.0 | 24.0 | 130    | €7.70 |
| 980619-C  | 19   | 65.0 | 27.0 | 26.0 | 26.0 | 143    | €8.30 |

TENGOOLS






# Impact Tools

## 1/2" Drive Impact Sockets

1/2" drive impact sockets regular 6 point metric. Chrome molybdenum DIN standard for industrial use.




| Stock No. | Size mm | L mm | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|------|------|-------|-------|----------|----------------|---------------|--------|
| 920508-C  | 8       | 38.0 | 9.0  | 15.0  | 22.0  | 90       | 0935202        | P90320        | €6.10  |
| 920510-C  | 10      | 38.0 | 12.0 | 17.0  | 22.0  | 90       | 0935202        | P90320        | €6.10  |
| 920511-C  | 11      | 38.0 | 12.0 | 18.0  | 22.0  | 90       | 0935202        | P90320        | €6.10  |
| 920512-C  | 12      | 38.0 | 12.0 | 19.0  | 22.0  | 90       | 0935202        | P90320        | €6.10  |
| 920513-C  | 13      | 38.0 | 12.0 | 20.0  | 24.0  | 90       | 0935202        | P90320        | €6.10  |
| 920514-C  | 14      | 38.0 | 12.0 | 24.0  | 24.0  | 90       | 0935202        | P90320        | €6.10  |
| 920515-C  | 15      | 38.0 | 12.0 | 25.0  | 25.0  | 130      | 093525         | P90324        | €6.10  |
| 920516-C  | 16      | 38.0 | 12.0 | 25.0  | 25.0  | 130      | 093525         | P90324        | €6.40  |
| 920517-C  | 17      | 38.0 | 12.0 | 25.0  | 26.0  | 130      | 093525         | P90324        | €6.60  |
| 920518-C  | 18      | 38.0 | 13.0 | 26.0  | 26.0  | 130      | 093525         | P90324        | €6.80  |
| 920519-C  | 19      | 38.0 | 13.0 | 28.0  | 28.0  | 130      | 093525         | P90324        | €7.10  |
| 920520-C  | 20      | 38.0 | 13.0 | 30.0  | 30.0  | 130      | 093525         | P90324        | €7.20  |
| 920521-C  | 21      | 38.0 | 13.0 | 30.0  | 30.0  | 130      | 093525         | P90324        | €7.20  |
| 920522-C  | 22      | 38.0 | 13.0 | 32.0  | 32.0  | 130      | 093525         | P90324        | €7.30  |
| 920523-C  | 23      | 38.0 | 13.0 | 32.0  | 32.0  | 130      | 093525         | P90324        | €8.00  |
| 920524-C  | 24      | 45.0 | 19.0 | 34.0  | 34.0  | 150      | 093525         | P90324        | €8.60  |
| 920525-C  | 25      | 45.0 | 20.0 | 36.0  | 36.0  | 160      | 093525         | P90324        | €9.10  |
| 920526-C  | 26      | 50.0 | 20.0 | 36.0  | 36.0  | 165      | 093525         | P90324        | €10.20 |
| 920527-C  | 27      | 50.0 | 20.0 | 38.0  | 38.0  | 195      | 093525         | P90324        | €10.40 |
| 920528-C  | 28      | 50.0 | 20.0 | 40.0  | 38.0  | 195      | 093525         | P90324        | €10.60 |
| 920529-C  | 29      | 50.0 | 20.0 | 40.0  | 38.0  | 185      | 093525         | P90324        | €10.70 |
| 920530-C  | 30      | 50.0 | 20.0 | 42.0  | 38.0  | 250      | 093525         | P90324        | €10.90 |
| 920532-C  | 32      | 50.0 | 20.0 | 44.0  | 38.0  | 300      | 093525         | P90324        | €11.30 |

1/2" drive impact sockets regular 6 point metric. ANSI standard suitable for automotive use. Chrome molybdenum.



| Stock No. | Size mm | L mm | T mm | D1 mm | D2 mm | Weight g | Price |
|-----------|---------|------|------|-------|-------|----------|-------|
| 920513A   | 13      | 38.0 | 12.0 | 20.0  | 24.0  | 90       | €5.30 |
| 920515A   | 15      | 38.0 | 12.0 | 25.0  | 25.0  | 130      | €5.50 |
| 920516A   | 16      | 38.0 | 12.0 | 25.0  | 25.0  | 130      | €5.80 |
| 920517A   | 17      | 38.0 | 12.0 | 25.0  | 26.0  | 130      | €5.90 |
| 920518A   | 18      | 38.0 | 13.0 | 26.0  | 26.0  | 130      | €6.10 |
| 920519A   | 19      | 38.0 | 13.0 | 28.0  | 28.0  | 130      | €6.20 |
| 920522A   | 22      | 38.0 | 13.0 | 32.0  | 32.0  | 130      | €6.50 |
| 920524A   | 24      | 45.0 | 19.0 | 34.0  | 34.0  | 150      | €8.00 |

1/2" drive impact sockets regular 6 point AF. Chrome molybdenum. DIN standard for industrial use.



| Stock No. | Size AF | L mm | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price |
|-----------|---------|------|------|-------|-------|----------|----------------|---------------|-------|
| 920114-C  | 3/16"   | 38.0 | 12.0 | 18.0  | 22.0  | 70       | 0935202        | P90320        | €6.10 |
| 920116-C  | 1/2"    | 38.0 | 12.0 | 20.0  | 22.0  | 70       | 0935202        | P90320        | €6.10 |
| 920118-C  | 5/16"   | 38.0 | 12.0 | 22.0  | 24.0  | 70       | 0935202        | P90320        | €6.10 |
| 920120-C  | 3/8"    | 38.0 | 12.0 | 25.0  | 25.0  | 80       | 0935202        | P90320        | €6.10 |
| 920122-C  | 7/16"   | 38.0 | 13.0 | 26.0  | 26.0  | 90       | 0935202        | P90320        | €6.80 |
| 920124-C  | 3/4"    | 38.0 | 13.0 | 28.0  | 28.0  | 110      | 0935202        | P90320        | €7.10 |
| 920126-C  | 5/8"    | 38.0 | 13.0 | 30.0  | 30.0  | 120      | 0935202        | P90320        | €7.10 |
| 920128-C  | 7/8"    | 38.0 | 13.0 | 32.0  | 32.0  | 140      | 0935202        | P90320        | €7.10 |
| 920130-C  | 15/16"  | 38.0 | 13.0 | 34.0  | 34.0  | 160      | 093530         | P90328        | €8.20 |
| 920132-C  | 1"      | 38.0 | 14.0 | 36.0  | 36.0  | 180      | 093532         | P90328        | €8.20 |



## 1/2" Drive Impact Sockets

1/2" drive impact sockets deep 6 point metric. Chrome molybdenum. DIN standard suitable for industrial use.

| Stock No. | Size mm | L mm | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|------|------|-------|-------|----------|----------------|---------------|--------|
| 920610-C  | 10      | 78.0 | 14.0 | 17.5  | 25.0  | 180      | 0935202        | P90320        | €11.30 |
| 920611-C  | 11      | 78.0 | 14.0 | 18.7  | 25.0  | 180      | 0935202        | P90320        | €11.30 |
| 920612-C  | 12      | 78.0 | 14.0 | 20.0  | 25.0  | 180      | 0935202        | P90320        | €11.30 |
| 920613-C  | 13      | 78.0 | 14.0 | 21.0  | 25.0  | 180      | 0935202        | P90320        | €11.30 |
| 920614-C  | 14      | 78.0 | 17.0 | 22.5  | 25.0  | 180      | 0935202        | P90320        | €11.30 |
| 920615-C  | 15      | 78.0 | 17.0 | 23.7  | 30.0  | 210      | 093525         | P90324        | €11.30 |
| 920616-C  | 16      | 78.0 | 17.0 | 25.0  | 30.0  | 210      | 093525         | P90324        | €11.30 |
| 920617-C  | 17      | 78.0 | 17.0 | 26.0  | 30.0  | 240      | 093525         | P90324        | €11.30 |
| 920618-C  | 18      | 78.0 | 17.0 | 27.5  | 30.0  | 260      | 093525         | P90324        | €11.30 |
| 920619-C  | 19      | 78.0 | 17.0 | 28.7  | 30.0  | 260      | 093525         | P90324        | €11.30 |
| 920621-C  | 21      | 78.0 | 19.0 | 30.0  | 30.0  | 260      | 093525         | P90324        | €11.60 |
| 920622-C  | 22      | 78.0 | 24.0 | 32.0  | 30.0  | 240      | 093525         | P90324        | €12.20 |
| 920624-C  | 24      | 78.0 | 24.0 | 35.0  | 30.0  | 270      | 093525         | P90324        | €13.20 |
| 920627-C  | 27      | 78.0 | 24.0 | 38.7  | 30.0  | 400      | 093525         | P90324        | €16.50 |
| 920628-C  | 28      | 78.0 | 23.0 | 40.0  | 30.0  | 400      | 093525         | P90324        | €16.50 |
| 920629-C  | 29      | 78.0 | 26.0 | 40.0  | 30.0  | 400      | 093525         | P90324        | €16.50 |
| 920630-C  | 30      | 78.0 | 25.0 | 42.0  | 30.0  | 400      | 093525         | P90324        | €16.90 |
| 920632-C  | 32      | 78.0 | 25.0 | 44.0  | 30.0  | 500      | 093525         | P90324        | €17.20 |
| 920635-C  | 35      | 78.0 | 57.0 | 47.0  | 30.0  | 500      | 093525         | P90324        | €17.30 |
| 920636-C  | 36      | 78.0 | 25.0 | 49.0  | 30.0  | 500      | 093525         | P90324        | €21.90 |

TENGTTOOLS




1/2" drive impact sockets deep 6 point metric.

ANSI standard suitable for automotive use. Chrome molybdenum.

| Stock No. | Size mm | L mm | T mm | D1 mm | D2 mm | Weight g | Price  |
|-----------|---------|------|------|-------|-------|----------|--------|
| 920613A   | 13      | 78.0 | 14.0 | 21.0  | 25.0  | 180      | €10.50 |
| 920615A   | 15      | 78.0 | 17.0 | 23.7  | 30.0  | 210      | €10.50 |
| 920616A   | 16      | 78.0 | 17.0 | 25.0  | 30.0  | 210      | €10.60 |
| 920617A   | 17      | 78.0 | 17.0 | 26.0  | 30.0  | 240      | €10.80 |
| 920618A   | 18      | 78.0 | 17.0 | 27.5  | 30.0  | 260      | €10.80 |
| 920619A   | 19      | 78.0 | 17.0 | 28.7  | 30.0  | 260      | €10.80 |
| 920622A   | 22      | 78.0 | 24.0 | 32.0  | 30.0  | 240      | €11.20 |
| 920624A   | 24      | 78.0 | 24.0 | 35.0  | 30.0  | 270      | €12.10 |

TENGTTOOLS




1/2" drive impact sockets deep 6 point AF. Chrome Molybdenum.

DIN standard for industrial use.

| Stock No. | Size AF | L mm | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|------|------|-------|-------|----------|----------------|---------------|--------|
| 920214-C  | 7/16"   | 78.0 | 14.0 | 18.0  | 22.0  | 140      | 0935202        | P90320        | €10.80 |
| 920216-C  | 1/2"    | 78.0 | 14.0 | 20.0  | 22.0  | 140      | 0935202        | P90320        | €10.80 |
| 920218-C  | 9/16"   | 78.0 | 17.0 | 22.0  | 24.0  | 170      | 0935202        | P90320        | €11.10 |
| 920220-C  | 5/8"    | 78.0 | 17.0 | 24.0  | 24.0  | 170      | 0935202        | P90320        | €11.50 |
| 920222-C  | 11/16"  | 78.0 | 17.0 | 26.0  | 26.0  | 180      | 0935202        | P90320        | €12.00 |
| 920224-C  | 3/4"    | 78.0 | 19.0 | 28.0  | 28.0  | 220      | 0935202        | P90320        | €12.30 |
| 920226-C  | 13/16"  | 78.0 | 24.0 | 30.0  | 30.0  | 230      | 0935202        | P90320        | €12.30 |
| 920228-C  | 7/8"    | 78.0 | 24.0 | 32.0  | 32.0  | 280      | 0935202        | P90320        | €13.00 |
| 920230-C  | 15/16"  | 78.0 | 24.0 | 34.0  | 34.0  | 310      | 093530         | P90328        | €13.00 |
| 920232-C  | 1"      | 78.0 | 24.0 | 36.0  | 36.0  | 350      | 093532         | P90328        | €14.30 |
| 920242-C  | 1 1/16" | 78.0 | 54.0 | 45.0  | 38.0  | 500      | 093534         | P90332        | €18.20 |
| 920248-C  | 1 1/2"  | 78.0 | 54.0 | 52.5  | 38.0  | 500      | 093534         | P90332        | €26.00 |

TENGTTOOLS







# Impact Tools



**TENGTTOOLS**

## 1/2" Drive Impact Sockets


1/2" drive TX impact sockets regular. Chrome molybdenum.

| Stock No.  | Size mm | L mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|------------|---------|------|-------|-------|----------|----------------|---------------|--------|
| 921210TX-C | 10      | 78.0 | 6.5   | 25.0  | 90       | 0935202        | P90320        | €14.30 |
| 921215TX-C | 15      | 78.0 | 6.5   | 25.0  | 90       | 0935202        | P90320        | €14.30 |
| 921220TX-C | 20      | 78.0 | 6.5   | 25.0  | 90       | 0935202        | P90320        | €14.30 |
| 921225TX-C | 25      | 78.0 | 6.5   | 25.0  | 90       | 0935202        | P90320        | €14.30 |
| 921227TX-C | 27      | 78.0 | 6.5   | 25.0  | 90       | 0935202        | P90320        | €14.30 |
| 921230TX-C | 30      | 78.0 | 6.5   | 25.0  | 130      | 093525         | P90324        | €14.30 |
| 921240TX-C | 40      | 78.0 | 8.0   | 25.0  | 130      | 093525         | P90324        | €14.30 |
| 921245TX-C | 45      | 78.0 | 9.0   | 25.0  | 130      | 093525         | P90324        | €14.30 |
| 921250TX-C | 50      | 78.0 | 10.0  | 25.0  | 130      | 093525         | P90324        | €14.30 |
| 921255TX-C | 55      | 78.0 | 12.0  | 25.0  | 130      | 093525         | P90324        | €14.30 |
| 921260TX-C | 60      | 78.0 | 14.0  | 25.0  | 130      | 093525         | P90324        | €14.30 |
| 921270TX-C | 70      | 78.0 | 16.0  | 25.0  | 130      | 093525         | P90324        | €14.30 |

## 3/4" Drive Impact Sockets

3/4" drive impact sockets regular 6 point metric, with locking pin and retaining ring facility. Chrome molybdenum. DIN Standard for industrial use.


**TENGTTOOLS**



| Stock No. | Size mm | L mm | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|------|------|-------|-------|----------|----------------|---------------|--------|
| 940519-C  | 19      | 50.0 | 17.0 | 36.0  | 38.0  | 247      | 093538         | P90437        | €14.00 |
| 940521-C  | 21      | 50.0 | 17.0 | 36.0  | 38.0  | 250      | 093538         | P90437        | €14.00 |
| 940522-C  | 22      | 52.0 | 17.0 | 36.0  | 38.0  | 252      | 093538         | P90437        | €14.00 |
| 940523-C  | 24      | 52.0 | 17.0 | 36.0  | 38.0  | 255      | 093538         | P90437        | €14.00 |
| 940524-C  | 27      | 52.0 | 17.0 | 40.0  | 38.0  | 270      | 093538         | P90437        | €14.00 |
| 940527-C  | 28      | 52.0 | 23.0 | 44.0  | 44.0  | 300      | 093538         | P90437        | €14.00 |
| 940530-C  | 30      | 52.0 | 23.0 | 44.0  | 44.0  | 330      | 093538         | P90437        | €17.30 |
| 940532-C  | 32      | 52.0 | 23.0 | 44.0  | 44.0  | 330      | 093538         | P90437        | €18.70 |
| 940533-C  | 33      | 56.0 | 23.0 | 47.0  | 44.0  | 395      | 093538         | P90437        | €19.30 |
| 940534-C  | 34      | 56.0 | 23.0 | 48.0  | 44.0  | 420      | 093538         | P90437        | €21.00 |
| 940536-C  | 36      | 56.0 | 25.0 | 51.0  | 44.0  | 455      | 093538         | P90437        | €22.60 |
| 940538-C  | 38      | 56.0 | 25.0 | 53.0  | 44.0  | 465      | 093538         | P90437        | €23.40 |
| 940541-C  | 41      | 58.0 | 26.0 | 60.0  | 44.0  | 610      | 093538         | P90437        | €24.30 |
| 940546-C  | 46      | 63.0 | 30.0 | 67.0  | 44.0  | 775      | 093538         | P90437        | €27.90 |

3/4" drive impact sockets regular 6 point AF with locking pin and retaining ring facility. Chrome molybdenum. DIN Standard for industrial use.

**TENGTTOOLS**



| Stock No. | Size AF | L mm | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|------|------|-------|-------|----------|----------------|---------------|--------|
| 940132-C  | 1"      | 50.0 | 17.0 | 36.0  | 38.0  | 247      | 093538         | P90437        | €14.20 |
| 940134-C  | 1 1/16" | 52.0 | 17.0 | 36.0  | 38.0  | 255      | 093538         | P90437        | €14.40 |
| 940140-C  | 1 1/4"  | 52.0 | 17.0 | 40.0  | 38.0  | 270      | 093538         | P90437        | €15.50 |
| 940142-C  | 1 3/8"  | 52.0 | 23.0 | 44.0  | 44.0  | 300      | 093538         | P90437        | €19.80 |
| 940144-C  | 1 3/8"  | 52.0 | 22.0 | 44.0  | 44.0  | 165      | 093538         | P90437        | €21.10 |
| 940146-C  | 1 7/16" | 52.0 | 23.0 | 44.0  | 44.0  | 330      | 093538         | P90437        | €22.00 |
| 940148-C  | 1 1/2"  | 56.0 | 23.0 | 47.0  | 44.0  | 395      | 093538         | P90437        | €23.50 |




## 3/4" Drive Impact Sockets

3/4" drive impact sockets deep 6 point metric with locking pin and retaining ring facility. Chrome molybdenum. DIN Standard for industrial use.

| Stock No. | Size mm | L mm | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|------|------|-------|-------|----------|----------------|---------------|--------|
| 940619-C  | 19      | 95.0 | 23.0 | 33.0  | 44.0  | 595      | 093538         | P90437        | €24.50 |
| 940621-C  | 21      | 95.0 | 23.0 | 35.0  | 44.0  | 610      | 093538         | P90437        | €24.50 |
| 940622-C  | 22      | 95.0 | 23.0 | 37.0  | 44.0  | 620      | 093538         | P90437        | €24.50 |
| 940623-C  | 23      | 95.0 | 23.0 | 38.0  | 44.0  | 630      | 093538         | P90437        | €24.50 |
| 940624-C  | 24      | 95.0 | 51.0 | 39.0  | 44.0  | 640      | 093538         | P90437        | €24.50 |
| 940627-C  | 27      | 95.0 | 62.0 | 43.0  | 44.0  | 680      | 093538         | P90437        | €24.50 |
| 940630-C  | 30      | 95.0 | 65.0 | 47.0  | 44.0  | 720      | 093538         | P90437        | €24.50 |
| 940632-C  | 32      | 95.0 | 27.0 | 49.0  | 44.0  | 870      | 093538         | P90437        | €24.50 |
| 940633-C  | 33      | 95.0 | 28.0 | 51.0  | 44.0  | 860      | 093538         | P90437        | €25.70 |
| 940634-C  | 34      | 95.0 | 62.0 | 52.0  | 44.0  | 810      | 093538         | P90437        | €27.20 |
| 940636-C  | 36      | 95.0 | 64.0 | 54.0  | 44.0  | 830      | 093538         | P90437        | €27.20 |
| 940638-C  | 38      | 95.0 | 63.0 | 57.0  | 44.0  | 920      | 093538         | P90437        | €29.40 |
| 940641-C  | 41      | 95.0 | 54.0 | 58.0  | 44.0  | 790      | 093538         | P90437        | €42.50 |
| 940646-C  | 46      | 95.0 | 58.0 | 67.0  | 44.0  | 900      | 093538         | P90437        | €50.00 |

**TENGTOLS**




## 1" Drive Impact Sockets

1" drive impact sockets regular, metric with locking pin and retaining ring facility. DIN standard for industrial use.

| Stock No. | Size mm | L mm  | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price   |
|-----------|---------|-------|------|-------|-------|----------|----------------|---------------|---------|
| 910524    | 24      | 58.0  | 18.0 | 41.0  | 54.0  | 640      | 093546         | P90543        | €26.50  |
| 910527    | 27      | 58.0  | 20.0 | 46.0  | 54.0  | 645      | 093546         | P90543        | €26.50  |
| 910530    | 30      | 60.0  | 21.0 | 49.0  | 54.0  | 680      | 093546         | P90543        | €26.50  |
| 910532    | 32      | 60.0  | 21.0 | 52.0  | 54.0  | 700      | 093546         | P90543        | €26.50  |
| 910533    | 33      | 60.0  | 21.0 | 53.0  | 54.0  | 700      | 093546         | P90543        | €26.50  |
| 910534    | 34      | 60.0  | 21.0 | 55.0  | 54.0  | 690      | 093546         | P90543        | €26.50  |
| 910536    | 36      | 65.0  | 30.0 | 56.0  | 54.0  | 700      | 093546         | P90543        | €26.50  |
| 910538    | 38      | 65.0  | 30.0 | 59.0  | 54.0  | 750      | 093546         | P90543        | €27.80  |
| 910541    | 41      | 67.0  | 30.0 | 63.0  | 54.0  | 850      | 093546         | P90543        | €29.40  |
| 910546    | 46      | 74.0  | 40.0 | 69.0  | 54.0  | 1005     | 093546         | P90543        | €37.50  |
| 910550    | 50      | 80.0  | 43.0 | 74.0  | 54.0  | 1220     | 093546         | P90543        | €37.90  |
| 910555    | 55      | 84.0  | 43.0 | 80.0  | 54.0  | 1470     | 093546         | P90543        | €49.50  |
| 910560    | 60      | 87.0  | 46.0 | 86.0  | 54.0  | 1610     | 093546         | P90543        | €66.00  |
| 910565    | 65      | 90.0  | 49.0 | 92.0  | 54.0  | 1890     | 093546         | P90543        | €70.80  |
| 910570    | 70      | 96.0  | 51.0 | 99.0  | 54.0  | 2355     | 093546         | P90543        | €82.60  |
| 910575    | 75      | 98.0  | 52.0 | 104.0 | 54.0  | 2455     | 095775         | P90675        | €110.60 |
| 910580    | 80      | 100.0 | 52.0 | 109.0 | 86.0  | 2550     | 095775         | P90675        | €113.00 |
| 910585    | 85      | 100.0 | 52.0 | 115.0 | 86.0  | 2650     | 095775         | P90675        | €120.00 |
| 910590    | 90      | 100.0 | 52.0 | 119.0 | 86.0  | 2750     | 095775         | P90765        | €128.00 |
| 910595    | 95      | 100.0 | 52.0 | 130.0 | 86.0  | 2850     | 095775         | P90765        | €145.00 |


**TENGTOLS**



1" drive impact sockets thinwall deep 6 point metric, with locking pin and retaining ring facility. Chrome molybdenum. DIN standard for industrial use.

| Stock No. | Size mm | L mm  | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|-------|------|-------|-------|----------|----------------|---------------|--------|
| 910624    | 24      | 100.0 | 28.0 | 38.0  | 54.0  | 830      | 093546         | P90543        | €62.60 |
| 910627    | 27      | 100.0 | 49.0 | 43.0  | 54.0  | 895      | 093546         | P90543        | €62.60 |
| 910628    | 28      | 100.0 | 49.0 | 43.0  | 54.0  | 895      | 093546         | P90543        | €62.60 |
| 910630    | 30      | 100.0 | 42.0 | 45.0  | 54.0  | 945      | 093546         | P90543        | €62.60 |
| 910632    | 32      | 100.0 | 45.0 | 47.0  | 54.0  | 935      | 093546         | P90543        | €62.60 |
| 910633    | 33      | 100.0 | 45.0 | 49.0  | 54.0  | 980      | 093546         | P90543        | €62.60 |
| 910636    | 36      | 100.0 | 66.0 | 52.0  | 54.0  | 870      | 093546         | P90543        | €62.60 |

**TENGTOLS**






# Impact Tools

## 1" Drive Impact Sockets

1" drive impact sockets deep 6 point metric, with locking pin and retaining ring facility. Chrome molybdenum. DIN standard for industrial use.

**TENGTTOOLS**




| Stock No. | Size mm | L mm  | T mm | D1 mm | D2 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|-------|------|-------|-------|----------|----------------|---------------|--------|
| 910627R   | 27      | 100.0 | 50.0 | 46.0  | 54.0  | 990      | 093546         | P90543        | €38.60 |
| 910630R   | 30      | 100.0 | 50.0 | 50.0  | 54.0  | 1040     | 093546         | P90543        | €38.60 |
| 910632R   | 32      | 100.0 | 50.0 | 52.0  | 54.0  | 1060     | 093546         | P90543        | €38.60 |
| 910633R   | 33      | 100.0 | 50.0 | 53.0  | 54.0  | 1070     | 093546         | P90543        | €38.60 |

## Hex impact sockets

3/8" drive hex impact socket bits. Made of chrome molybdenum. With locking pin and retaining ring facility.


**TENGTTOOLS**



| Stock No. | Size mm | L1 mm | D1 mm | Weight g | Retaining Ring | Retaining Pin | Price |
|-----------|---------|-------|-------|----------|----------------|---------------|-------|
| 981504-C  | 4       | 52.0  | 20.8  | 55       | 0935202        | P90320        | €9.10 |
| 981505-C  | 5       | 52.0  | 20.8  | 57       | 0935202        | P90320        | €9.10 |
| 981506-C  | 6       | 52.0  | 20.8  | 60       | 0935202        | P90320        | €9.10 |
| 981507-C  | 7       | 52.0  | 20.8  | 63       | 0935202        | P90320        | €9.10 |
| 981508-C  | 8       | 52.0  | 20.8  | 67       | 0935202        | P90320        | €9.10 |
| 981510-C  | 10      | 52.0  | 20.8  | 74       | 0935202        | P90320        | €9.70 |
| 981512-C  | 12      | 52.0  | 20.8  | 85       | 0935202        | P90320        | €9.70 |

1/2" drive hex impact socket bits. Made of chrome molybdenum with locking pin and retaining ring facility.


**TENGTTOOLS**



| Stock No. | Size mm | L1 mm | D1 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|-------|-------|----------|----------------|---------------|--------|
| 921505-C  | 5       | 78.0  | 25.0  | 81       | 0935202        | P90320        | €12.50 |
| 921506-C  | 6       | 78.0  | 25.0  | 86       | 0935202        | P90320        | €12.50 |
| 921508-C  | 8       | 78.0  | 25.0  | 100      | 0935202        | P90320        | €12.50 |
| 921510-C  | 10      | 78.0  | 25.0  | 114      | 0935202        | P90320        | €13.10 |
| 921512-C  | 12      | 78.0  | 25.0  | 132      | 0935202        | P90320        | €13.10 |
| 921514-C  | 14      | 78.0  | 25.0  | 155      | 0935202        | P90320        | €13.10 |
| 921517-C  | 17      | 78.0  | 25.0  | 191      | 0935202        | P90320        | €13.60 |
| 921519-C  | 19      | 78.0  | 25.0  | 216      | 0935202        | P90320        | €13.60 |

3/4" drive impact hex socket bit, with locking pin and retaining ring facility. Chrome molybdenum.

**TENGTTOOLS**



| Stock No. | Size mm | L1 mm | D1 mm | Weight g | Retaining Ring | Retaining Pin | Price  |
|-----------|---------|-------|-------|----------|----------------|---------------|--------|
| 941519-C  | 19      | 90.0  | 44.0  | 600      | 093538         | P90437        | €49.20 |
| 941522-C  | 22      | 90.0  | 44.0  | 600      | 093538         | P90437        | €49.20 |
| 941524-C  | 24      | 90.0  | 44.0  | 600      | 093538         | P90437        | €49.20 |