



Torque screwdrivers

1/4" drive torque screwdriver with 36 bits, 4" extension bar and bit chuck holder. Supplied in the Teng Tools TC tray with removable lid.

TTSD39	39 piece Torque Screwdriver Bits set (265x142x50mm, 0.66 kilos)
25mm Bits	1/4" hex PH0, PH1, PH2, PH3 PZ0, PZ1, PZ2, PZ3 TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 TPX10, TPX15, TPX20, TPX25, TPX30 ROB1, ROB2, ROB3 Grabber PH2x2 pc hex 2, 3, 4, 5, 6mm flat 3.0x0.5mm, 4.5x0.6mm 5.5x0.8mm, 6.5x1.2mm
Accessories	1/4" drive torque screwdriver 1-5Nm, 4" extension bar 1/4" hex bit chuck holder



Stock No	PRICE
TTSD39	€139.90

TENGTTOOLS

1/4" drive torque screwdriver covering 1-5 Nm.



Stock No	PRICE
1492SD	€113.60
1492SD-CT (calibrated)	€165.00

TENGTTOOLS

Force Teng Torque wrenches

The Teng Tools range of automotive torque wrenches have rapidly become one of the most commonly used torque wrenches in the automotive and light industrial sectors. Offering exceptional value for money and high accuracy with a full back up service for recalibration. Covering 1/4" to 3/4" drive from 5Nm to 980Nm and bi-directional torque wrenches for left/right hand threads as well as a range of preset torque wrenches covering the most common wheel nut tightening specifications.

- In built angular gauge for after tightening fastenings by a set number of degrees. Many manufacturers of engines are now recommending that cylinder head bolts, etc. should be tightened over and above a preset torque rating by so many degrees, e.g. 45 degrees. Teng Tools automotive torque wrenches incorporate a patented angular gauge in to the head of the torque wrench. This enables the user to do this with one tool rather than using a conventional torque wrench in conjunction with a separate angular gauge, saving time and money and making the job much easier.
- Ratchet mechanism conforms to DIN3122
- Factory tested and individually certified to an accuracy of +/- 4%
- Dual scale in Nm and ft/lb
- Flip reverse lever on the ratchet action for easier direction change when using as a ratchet
- Bi-directional models also available with a push through square drive
- Locking mechanism to preset the torque wrench when using on a number of fastenings with similar torque requirements
- Rubber grip handle for more comfortable use particularly at higher torque levels
- Supplied in a handy carrying/storage case
- Available in a range of drive sizes from 1/4" to 3/4" drive covering 5 to 980Nm or 4 to 700ft/lb
- Preset torque wrenches also available to special order
- All components available individually as spare parts as well as ratchet repair kits





Torque Wrenches

1/4" drive torque wrenches

Torque wrench according to DIN3122. With ratchet the torque wrench can be used for both tightening and final checking of the torque. Reversible with lever, but only for right hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish. Rubber handle.



Stock No.	DIN	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
1492AG-E	3122	5-25	4-18	0.4	0.4	277	27.6	20.6	580	€68.00



1/4" drive torque wrenches

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.



Stock No.	DIN	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
1492AG-CT	3122	5-25	4-18	0.4	0.4	277	27.6	20.6	580	€119.50



3/8" drive torque wrenches

Industrial torque wrenches according to ISO6789:2003. Features includes a bi-directional torque function, it has a small ratchet head with 60 teeth for easy access in confined spaces. It has a twist reverse for changing the direction of the ratchet and a quick release button. The twin scale setting is provided to reduce errors. Accuracy +/-4%. Slim line design and ergonomic handle.



Stock No.	DIN	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3892Q060	10-60	10-50	1.0	1.0	400	2937	29	37	800	€145.00
3892Q100	20-100	14-70	1.0	1.0	400	2937	29	37	800	€150.00



3/8" drive torque wrenches

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.



Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3892Q060-CT	10-60	10-50	1.0	1.0	400	29	37	800	€175.00
3892Q100-CT	20-100	14-70	1.0	1.0	400	29	37	800	€180.00



Industrial Quality

The new Q series torque wrenches
from Teng Tools for the professional user



Slim design for confined spaces with consistent accuracy
bi-directional torque function & quick release mechanism
easy to read large Nm & ft/lb scale and locking function



Torque Wrenches

3/8" Drive Torque wrenches

22 piece set consisting of a 3/8" drive torque wrench, 10 crow foot wrenches, bit adaptor, 8 TX bits, 3" and 5" extension bars. Supplied in the Teng Tools TTX storage tray.

TTX3892	22 piece 3/8" drive angular gauge torque wrench set (560x110x60mm, 0.9 kilos)		
Torque wrench	3/8" drive	angular gauge torque wrench	(20-100Nm, 15-75 ft/lb)
Accessories	3/8" drive	3" and 5" extensions, adaptor for	10mm hex bits
TX bits	10mm hex drive	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40	
Crow foot wrenches	3/8" drive	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm	



TENGTTOOLS

Stock No	PRICE
TTX3892	€175.00

49 piece motor mechanics set containing 3/8" drive regular 6 point sockets, impact driver, bits driver with magnetic holder, 3/8" torque wrench, 2 spark plug sockets, 16 1/4" screwdriver bits, fibre reinforced ratchet handle, universal joint, 3" and 6" extension bars, 1/2"-3/8" adaptor, coupler adaptor. Supplied in the Mecca Rosso carrying case with click lock and folding handle. The underside of the case is fitted with rubber feet to prevent it from sliding.



MR3849	49 piece 3/8" drive Motor Mechanics Set (450x230x55mm, 4.4 kilos)		
Accessories	3/8" drive	FRP ratchet, 3" & 6" extensions, universal joint, 1/2"-F-3/8" M T bar adaptor, coupler adaptor, impact driver, angular gauge torque wrench (20-100Nm), bits driver handle with magnetic bits holder, hex bit adaptor, hex 1/4" x 3/8" drive adaptor.	
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Deep sockets	3/8" drive	6 point	8, 10, 12, 13, 17, 19mm
Spark plug sockets	3/8" drive	6 point	16, 21mm
40mm Bits	1/4" hex	TX10, TX15, TX20, TX25, TX30, TX40, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, PH1, PH2, 4mm flat, 6mm flat, 8mm flat	

TENGTTOOLS

Stock No	PRICE
MR3849	€195.00

Torque wrench according to DIN3122. With ratchet the torque wrench can be used for both tightening and final checking of the torque. Reversible with lever, but only for right hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish. Rubber handle.

TENGTTOOLS

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3892AG-E1	5-25	4-18	0.4	0.4	277	27.6	20.6	580	€75.00
3892AG-E3	20-100	15-75	1.0	1.0	368	35.9	27.7	580	€88.00



All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us.

The cost of this service is included in the price of CT type torque wrenches as shown in the table.

TENGTTOOLS

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3892AG1-CT	5-25	4-18	0.4	0.4	277	27.6	20.6	580	€122.50
3892AG3-CT	20-110	15-75	1.0	1.0	368	35.9	27.7	580	€133.10





1/2" drive Torque Wrenches

Industrial torque wrenches according to ISO6789:2003. Features includes a bi-directional torque function, it has a small ratchet head with 60 teeth for easy access in confined spaces. It has a twist reverse for changing the direction of the ratchet and a quick release button. The twin scale setting is provided to reduce errors. Accuracy +/-4%. Slim line design and an ergonomic handle.

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
1292Q200	40-200	32-160	2.0	2.0	483	40	47	1200	€160.00
1292Q320	64-320	48-240	5.0	5.0	550	40	47	1800	€250.00

TENGTTOOLS



All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
1292Q200-CT	40-200	32-160	2.0	2.0	483	40	47	1200	€213.00
1292Q320-CT	64-320	48-240	5.0	5.0	550	40	47	1800	€295.00

TENGTTOOLS



1/2" drive torque wrench with built in angular gauge(40-200Nm/30-150ft/lb). Supplied in a Teng Tools TTX storage tray.

TTX1292	1/2" drive angular gauge torque wrench (560x110x40mm, 1.6 kilos)
Torque wrench	1/2" drive angular gauge torque wrench (40-200Nm, 30-150ft/lb)

Stock No	PRICE
TTX1292	€89.90

TENGTTOOLS



51 piece 1/2" drive tool set containing 12 point sockets regular and deep, fibre reinforced ratchet handle, 1/2" torque wrench, 1/2" impact driver, universal joint, 6" extension bars, 3 wheel nut sockets, coupler adaptors, 1/2" - 3/8" adaptor, as well as 17 bits. Supplied in the Mecca Rosso carrying case with click lock and folding handle. Tool mat in the cases lid. The underside of the case is fitted with rubber feet to prevent it from sliding.

MR1251	51 piece 1/2" drive Socket and Torque wrench Set (550x280x60mm, 7.91 kilos)
Accessories	1/2" drive FRP ratchet, universal joint, 6" extensions 3/8"-1/2" T-bar adaptor, 16, 18 & 21mm spark plug sockets 3/16" hex x 3/8" M bits coupler, wheel nut sockets 17, 19 & 21mm, 1/2" drive torque wrench (200Nm), 1/2" drive impact driver
Regular sockets	1/2" drive 12 point 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
Deep sockets	1/2" drive 12 point 10, 13, 18, 24mm
3/16" bits	flat 6, 8, 10, 12mm
3/16" bits	PH PH1, PH2, PH3, PH4
3/16" bits	HEX 4, 5, 6, 8mm
3/16" bits	TX TX30, TX40, TX45, TX50, TX55

Stock No	PRICE
MR1251	€295.00

TENGTTOOLS





Torque Wrenches

1/2" drive torque wrenches

Torque wrench according to DIN3122. With ratchet the torque wrench can be used for both tightening and final checking of the torque. Reversible with lever, but only for right hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish. Rubber handle.

TENGTTOOLS

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
1292AG-EP	40-200	30-150	1.0	1.0	465	46.9	33.4	1340	€83.70
1292AG-E4	70-350	50-250	5.0	5.0	632	47.1	37.1	2400	€146.90



All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us.

The cost of this service is included in the price of CT type torque wrenches as shown in the table.

TENGTTOOLS

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
1292AGP-CT	40-200	30-150	1.0	1.0	465	46.9	33.4	1340	€136.20
1292AG4-CT	70-350	50-250	5.0	5.0	632	47.1	37.1	2400	€195.00



Calibration and certification

All Teng Tools torque wrenches are designed, manufactured and tested in accordance with ISO6789:2003. Each torque wrench is individually tested and certified at the time of production using the correct ISO approved equipment and procedures to an accuracy of +/- 4%. An individual inspection number is shown on both the torque wrench and the certificate/instruction sheet included with each torque wrench. There is no additional cost for this as it is part of the Teng Tools quality control procedure.

It is also possible to supply torque wrenches with a certificate of test conducted at the time of despatch from the UK or Ireland head office. All tests and equipment conform to ISO standards and individual torque wrenches will be checked and a new certificate issued at the time the order is placed. The cost of this service is included in the price of the CT type torque wrench. Similarly torque wrenches can be returned for checking and recalibration, if appropriate, a small charge is made for this service (RECAL) to cover carriage and operators time.

1/2" drive torque wrenches

Torque wrench according to DIN3122. Bi-directional torque wrench for left/right hand threads with push through square drive and flip reverse ratchet action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish. Rubber handle.

TENGTTOOLS

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
1292AG-ER	40-200	30-160	1.0	1.0	465	49.6	33.4	1340	€105.80
1292AG-E4R	70-350	50-250	5.0	5.0	632	47.1	37.1	2400	€170.00





1/2" drive torque wrenches

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us. The cost of this service is included in the price of CT type torque wrenches as shown in the table.

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight	Price
1292AGR-CT	40-200	30-160	1.0	1.0	465	49.6	33.4	1340	€155.00
1292AG4R-CT	70-350	50-250	5.0	5.0	632	47.1	37.1	2400	€218.00

TENGTTOOLS



Preset torque wrenches

4 1/2" drive preset torque wrenches set to 90, 110, 120 and 140Nm. Accuracy to +/- 4%, with rubber handle and supplied with a separate wall rack for fixing to the wall. DIN 3122.

TTPSTQ04	4 piece 1/2" Preset torque wrench set (570x262x73mm, 5.80 kilos)
1/2" drive preset torque wrenches	90, 110, 120, 140Nm

Stock No	PRICE
TTPSTQ04	€295.00

TENGTTOOLS



Pre set torque wrenches according to DIN3122. For continued use up to 5000 clicks. Equipped with angular gauge for after tightening. Settings in Nm. Lockable setting. Accuracy +/- 4%. Satin finish. Rubber handle.

Stock No.	Preset Torque Nm	L mm	W mm	H mm	Weight g	Price
1292AG-090	90	513	46.9	33.4	1400	€90.70
1292AG-110	110	513	46.9	33.4	1400	€90.70
1292AG-120	120	513	46.9	33.4	1400	€90.70
1292AG-140	140	513	46.9	33.4	1400	€90.70

TENGTTOOLS



3/4" drive torque wrenches

Torque wrench according to DIN3122. With ratchet the torque wrench can be used for both tightening, and final checking of the torque. Reversible with lever, but only for right hand action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/- 4%. Satin finish. Rubber handle.

Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3492AG-E	90-450	50-340	5.0	5.0	850	72.5	53.5	3840	€195.00
3492AG-E1	140-700	100-500	2.5	2.5	1065	72.5	53.5	6160	€595.00
3492AG-E2	200-980	100-700	2.5	2.5	1213	72.5	53.5	6160	€745.00

TENGTTOOLS





Torque Wrenches

3/4" drive torque wrenches

All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us.

The cost of this service is included in the price of CT type torque wrenches as shown in the table.



Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3492AG-CT	90-450	50-340	5.0	5.0	850	72.5	53.5	3840	€260.00
3492AG1-CT	140-700	100-500	2.5	2.5	1065	72.5	53.5	6160	€675.00
3492AG2-CT	200-980	100-700	2.5	2.5	1213	72.5	53.5	6160	€775.00



Torque wrench according to DIN3122. Bi-directional torque wrench for left/right hand threads with push through square drive and flip reverse ratchet action for torque checking. Equipped with angular gauge for after tightening. Graduated in Nm and ft/lbs. Lockable setting. Accuracy +/-4%. Satin finish. Rubber handle.



Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3492AG-ER	90-450	50-340	5.0	5.0	850	72.5	53.5	3840	€235.00



All Teng Tools torque wrenches are individually tested and certified at the time of manufacture. However, we are also able to offer torque wrenches with a certificate of tests conducted at the time of despatch from our central warehouse. All tests and equipment conform to the relevant ISO standards and individual torque wrenches will be checked and a certificate issued at the time the order is placed with us.

The cost of this service is included in the price of CT type torque wrenches as shown in the table.



Stock No.	Range Nm	Range ft/lb	Scale Nm	Scale ft/lb	L mm	W mm	H mm	Weight g	Price
3492AGR-CT	90-450	50-340	5.0	5.0	850	72.5	53.5	3840	€295.00



Repair kits

Repair kits for torque wrenches.



Stock No.	Drive	Description	Price
1492AGERK	3/4"	Repair kit for 1492AG-E	€14.80
3892AG1RK	3/8"	Repair kit for 3892AG-E1	€14.80
3892AG3RK	3/8"	Repair kit for 3892AG-E3	€14.80
3892Q060RK	3/8"	Repair kit for 3892Q060 and 3892Q100	€11.50
1292AGERK	1/2"	Repair kit for 1292AG-E, 1292AG-EP and pre set range of torque wrenches	€16.00
1292AGERRK	1/2"	Repair kit for 1292AG-ER	€19.00
1292Q200RK	1/2"	Repair kit for 1292Q200 and 1292Q320	€15.20
1292AG4RK	1/2"	Repair kit for 1292AG-E4	€24.00
1292AG4RRK	1/2"	Repair kit for 1292AG-E4R	€25.60
3492AGERRK	3/4"	Repair kit for 3492AG-ER	€62.10
3492AGERK	3/4"	Repair kit for 3492AG-E	€45.00
3492AG1RK	3/4"	Repair kit for 3492AG-E1 and 3492AG-E2	€54.10



Torque multipliers

½" drive torque wrench with built in angular gauge (40-200Nm/30-150ft/lb) plus a torque multiplier ½"Fx¾"M, with a maximum capacity of 1400Nm giving up to 600Nm torque with the torque wrench in the set. Supplied in a Teng Tools TTX storage tray.

TTXMP12	½" drive angular gauge torque wrench and Torque multiplier (560x110x40mm, 4.07 kilos)
Torque wrench	½" drive angular torque wrench (40-200Nm, 30-150ft/lb)
Torque multiplier	¾" drive Torque multiplier (1400Nm, ½"Fx¾"M)

Stock No	PRICE
TTXMP12	€495.00

TENGTTOOLS



Torque multipliers

Torque multipliers with a 1:3 ratio. Precision instruments for loosening tight nuts and bolts. For use with torque wrench and impact sockets.

Stock No.	Incoming drive	Outgoing drive	Multiply	Max. force Nm	Max. force ft/lb	Weight g	Price
MP1400	½"	¾"	1:3	1400	1000	2.28	€450.00
MP2700	¾"	1"	1:3	2700	2000	4.78	€525.00

TENGTTOOLS



TENGTTOOLS

- Accuracy +/-4% meets the all international standards for torque wrenches
- Bi-directional torque function (clicks both clockwise and anti clockwise)
- Slimline design
 - Ergonomic handle
- Easy to read large format scale
- Easy torque adjustment and locking function
- Small ratchet heads with 60 teeth pattern for easy access in confined places
- Twist reverse function for changing direction of ratchet
- Quick release mechanism
- Each torque wrench is supplied with an individual certificate
 - Dual scale Nm and lbf.ft
 - Supplied in a blow-moulded plastic box for protection and storage



series Torque Wrenches